



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120
(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

F.No.-AIIMS/JMU/BOO/2024/LP/ 01

Dated: 6 August, 2024

Inviting Quotations for Purchase of Items for **Biochemistry** Department, AIIMS, Vijaypur Jammu.

QUOTATION NOTICE

Sealed quotations are invited from intending registered Stockiest / Distributors having GST and relevant documents for Purchase of Chemicals/reagents/kits and labware consumables for **Biochemistry** Department, AIIMS, Vijaypur, Jammu. The quotation with copy of certificate of GST & other documents should be submitted to Procurement Section at AIIMS, **Vijaypur, District Samba, Jammu (184120)** up to **14-08-2024** till 03:00 pm. The quotations will be opened on the same day at 04:00 pm. Details of item are given as under:-

| S. No. | Name of Items | Qty. | Packs Size/Unit | HSN Code | Basic Price | GST % | Total Cost Inclusive of GST |
|-------------------|--|-----------|-----------------|----------|-------------|-------|-----------------------------|
| Annexure-I | | | | | | | |
| 1 | 1-amino-2-naphthol-4-sulphonic acid (gm) | 250 gm | | | | | |
| 2 | 2,4-Dinitrophenyl hydrazine (gm) | 250 gm | | | | | |
| 3 | 4-amino antipyrine (gm) | 250 gm | | | | | |
| 4 | Acetone (Litre) | 2.5 litre | | | | | |
| 5 | Acrylamide (gm) | 500 gm | | | | | |
| 6 | Agarose (gm) | 500 gm | | | | | |
| 7 | Alkaline copper tartrate (Litre) | 1 litre | | | | | |
| 8 | Amino acid standards (kit) | 01 kit | | | | | |
| 9 | Ammonia (ml) | 500 ml | | | | | |
| 10 | Ammonium Carbonate (gm) | 250 gm | | | | | |
| 11 | Ammonium molybdate (gm) | 1000 gm | | | | | |
| 12 | Ammonium molybdate tetrahydrate AR cold soluble (gm) | 500 gm | | | | | |
| 13 | Ammonium persulphate (gm) | 1000 gm | | | | | |
| 14 | Ammonium sulphate (gm) | 1000 gm | | | | | |
| 15 | Barfoed's Reagent (Litre) | 2.5 litre | | | | | |



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120
(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

| | | | | | | | |
|----|--|-----------|--|--|--|--|--|
| 16 | Barium Chloride (gm) | 1000 gm | | | | | |
| 17 | Benedict's Reagent (qualitative) (litre) | 05 litre | | | | | |
| 18 | Benzidine (ml) | 250 ml | | | | | |
| 19 | Benzoic acid (gm) | 500 gm | | | | | |
| 20 | Beta mercaptoethanol (ml) | 100 ml | | | | | |
| 21 | Bile pigmant (Fouchet's reagent) (litre) | 01 litre | | | | | |
| 22 | Bile Salt (Bacteriology 70%) (gm) | 250 gm | | | | | |
| 23 | Bilirubin (mg) | 100 mg | | | | | |
| 24 | Bis-acrylamide (N,N methylene bis acrylamide) (gm) | 250 gm | | | | | |
| 25 | Boric acid powder (gm) | 500 gm | | | | | |
| 26 | Bromine water (litre) | 01 litre | | | | | |
| 27 | Bromocresol green solution (ml) | 1000 ml | | | | | |
| 28 | Bromophenol blue solution (ml) | 500 ml | | | | | |
| 29 | BSA (bovine albumin fraction V) (gm) | 100 gm | | | | | |
| 30 | Buffer kit (pH 4.0-7.0-9.0-10.0 +/- 0.02) (box) | 01 box | | | | | |
| 31 | Butanol (ml) | 500 ml | | | | | |
| 32 | Calcium carbonate (gm) | 1000 gm | | | | | |
| 33 | Calcium chloride (gm) | 1000 gm | | | | | |
| 34 | Carbon tetrachloride (ml) | 500 ml | | | | | |
| 35 | Chloroform (litre) | 2.5 litre | | | | | |
| 36 | Chlorophenol Red indicator (gm) | 05 gm | | | | | |
| 37 | Cholesterol (gm) | 50 gm | | | | | |
| 38 | Citric acid (gm) | 500 gm | | | | | |
| 39 | Copper acetate (gm) | 1000 gm | | | | | |



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIIJAYPUR, JAMMU-184120
(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

| | | | | | | | |
|----|--|----------|--|--|--|--|--|
| 40 | Copper sulphate pentahydrate (gm) | 1000 gm | | | | | |
| 41 | Creatinine (gm) | 200 gm | | | | | |
| 42 | Crystalline phenol solute (gm) | 100 gm | | | | | |
| 43 | Coomassie Brilliant Blue (R250) (gm) | 100 gm | | | | | |
| 44 | D-Fructose (gm) | 1000 gm | | | | | |
| 45 | D-Galactose (gm) | 1000 gm | | | | | |
| 46 | Dextrose anhydrous (gm) | 1000 gm | | | | | |
| 47 | Di-sodium hydrogen ortho phosphate (gm) | 1000 gm | | | | | |
| 48 | Di-sodium phenyl phosphate (phenyl phosphate disodium salt) (gm) | 25 gm | | | | | |
| 49 | Di-sodium hydrogen phosphate (gm) | 500 gm | | | | | |
| 50 | Diacetylmonoxime (gm) | 500 gm | | | | | |
| 51 | DNA Ladder (100-1500 bp) (kit) | 01 kit | | | | | |
| 52 | EDTA (gm) | 500 gm | | | | | |
| 53 | Egg albumin powder (gm) | 500 gm | | | | | |
| 54 | Ehrlich's reagent (litre) | 02 litre | | | | | |
| 55 | Ethanol (Absolute) (litre) | 05 litre | | | | | |
| 56 | SYBR Safe DNA Gel stain (ml) | 01 ml | | | | | |
| 57 | Fehling's Solution I,II (Separate reagents) (litre) | 02 litre | | | | | |
| 58 | Ferric chloride solution (litre) | 01 litre | | | | | |
| 59 | Ferric chloride anhydrous (gm) | 1000 gm | | | | | |
| 60 | Formalin (37-41%) (litre) | 01 litre | | | | | |
| 61 | Glacial acetic acid (litre) | 03 litre | | | | | |
| 62 | Glutaraldehyde 25% (ml) | 500 ml | | | | | |



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120
(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

| | | | | | | | |
|----|---|-------------|--|--|--|--|--|
| 63 | Glycerol (litre) | 01 litre | | | | | |
| 64 | Glycine (gm) | 1000 gm | | | | | |
| 65 | Hydrochloric acid (litre) | 05 litre | | | | | |
| 66 | Hydrogen peroxide (litre) | 01 litre | | | | | |
| 67 | Iodine 1N (gm) | 500 gm | | | | | |
| 68 | Protein Marker Unstained (pack) | 01 pack | | | | | |
| 69 | Isopropanol (litre) | 03 litre | | | | | |
| 70 | Isotonic Sodium sulphate copper sulphate sol. (Litre) | 01 litre | | | | | |
| 71 | Lead acetate (gm) | 1000 gm | | | | | |
| 72 | Lactose crystals (gm) | 1000 gm | | | | | |
| 73 | Magnesium sulfate anhydrous (gm) | 500 gm | | | | | |
| 74 | Maltose crystal (gm) | 1000 gm | | | | | |
| 75 | Mercuric sulfate (gm) | 25 gm | | | | | |
| 76 | Methanol (litre) | 05 litre | | | | | |
| 77 | Methyl Red (ml) | 500 ml | | | | | |
| 78 | Methylated spirit (litre) | 10 litre | | | | | |
| 79 | Molisch's reagent (litre) | 02 litre | | | | | |
| 80 | Ninhydrin (gm) | 100 gm | | | | | |
| 81 | Nitric acid (litre) | 02 litre | | | | | |
| 82 | Oleic acid (ml) | 500 ml | | | | | |
| 83 | Ortho-toluidine (litre) | 02 litre | | | | | |
| 84 | Ortho-phosphoric acid (ml) | 500 ml | | | | | |
| 85 | Oxalo acetic acid (gm) | 01 gm | | | | | |
| 86 | Palmitic acid (gm) | 100 gm | | | | | |
| 87 | Pepsin (bovine) (gm) | 05 gm | | | | | |



| | | | | | | | |
|-----|-------------------------------------|----------|--|--|--|--|--|
| 88 | Phenol (ml) | 500 ml | | | | | |
| 89 | Phenolphthalein 1 % w/v (ml) | 500 ml | | | | | |
| 90 | Phenylhydrazine (gm) | 100 gm | | | | | |
| 91 | Phosphomolybdic acid (gm) | 100 gm | | | | | |
| 92 | Phosphotungstate (gm) | 200 gm | | | | | |
| 93 | Picric acid (gm) | 1000 gm | | | | | |
| 94 | Potassium dihydrogen phosphate (gm) | 500 gm | | | | | |
| 95 | Potassium ferricyanide (gm) | 500 gm | | | | | |
| 96 | Potassium hydroxide pellets (gm) | 500 gm | | | | | |
| 97 | Potassium iodide (gm) | 250 gm | | | | | |
| 98 | Potassium nitrate (gm) | 500 gm | | | | | |
| 99 | Potassium oxalate (gm) | 500 gm | | | | | |
| 100 | Potassium permanganate (gm) | 1000 gm | | | | | |
| 101 | Resorcinol (ml) | 500 ml | | | | | |
| 102 | SDS-Sodium Dodecyl Sulfate (gm) | 500 gm | | | | | |
| 103 | Seliwanoff's Reagent (litre) | 02 litre | | | | | |
| 104 | Silver nitrate (gm) | 100 gm | | | | | |
| 105 | Sodium acetate (gm) | 500 gm | | | | | |
| 106 | Sodium bicarbonate (gm) | 1000 gm | | | | | |
| 107 | Sodium carbonate anhydrous (gm) | 1000 gm | | | | | |
| 108 | Sodium carbonate monohydrate (gm) | 1000 gm | | | | | |
| 109 | Sodium chloride (gm) | 1000 gm | | | | | |
| 110 | Sodium citrate (gm) | 1000 gm | | | | | |
| 111 | Sodium di-hydrogen phosphate (gm) | 500 gm | | | | | |



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120
(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

| | | | | | | | |
|-----|---|-----------|--|--|--|--|--|
| 112 | Sodium hydroxide flakes (gm) | 1000 gm | | | | | |
| 113 | Sodium hypobromide (litre) | 01 litre | | | | | |
| 114 | Sodium hypochlorite 4-6 % (litre) | 20 litre | | | | | |
| 115 | Sodium nitrate (gm) | 500 gm | | | | | |
| 116 | Sodium Nitrite (gm) | 500 gm | | | | | |
| 117 | Sodium nitroprusside (gm) | 100 gm | | | | | |
| 118 | Sodium potassium tartrate (gm) | 500 gm | | | | | |
| 119 | Sodium pyruvate (gm) | 25 gm | | | | | |
| 120 | Sodium sulphate anhydrous (gm) | 500 gm | | | | | |
| 121 | Sodium sulphite (gm) | 500 gm | | | | | |
| 122 | Sodium thiosulphate (gm) | 500 gm | | | | | |
| 123 | Sodium tungstate (gm) | 100 gm | | | | | |
| 124 | Starch hydrolyzed for Biochemistry (soluble) Lab (gm) | 1000 gm | | | | | |
| 125 | Sucrose (gm) | 1000 gm | | | | | |
| 126 | Sulphanilic acid (gm) | 200 gm | | | | | |
| 127 | Sulphosalicylic acid (gm) | 250 gm | | | | | |
| 128 | Sulphur powder (gm) | 1000 gm | | | | | |
| 129 | Sulphuric acid (litre) | 2.5 litre | | | | | |
| 130 | SYBR safe (ml) | 01 ml | | | | | |
| 131 | Tannic Acid (gm) | 100 gm | | | | | |
| 132 | Tricalcium Phosphate (gm) | 100 gm | | | | | |
| 133 | TEMED (ml) | 500 ml | | | | | |
| 134 | Thio-semicarbazide (gm) | 100 gm | | | | | |
| 135 | Thiourea (gm) | 1000 gm | | | | | |
| 136 | Thymol crystals (gm) | 100 gm | | | | | |



| | | | | | | | |
|--------------------|---|----------|--|--|--|--|--|
| 137 | Toluene (ml) | 100 gm | | | | | |
| 138 | Trichloroacetic acid (gm) | 1000 gm | | | | | |
| 139 | Tris base (gm) | 1000 gm | | | | | |
| 140 | Tris HCl (gm) | 1000 gm | | | | | |
| 141 | Tungstic acid (gm) | 500 gm | | | | | |
| 142 | Urea crystal (gm) | 1000 gm | | | | | |
| 143 | Uric acid (gm) | 50 gm | | | | | |
| 144 | Xylene cyanol indicator solution (ml) | 100 ml | | | | | |
| 145 | Zinc sulphate (gm) | 500 gm | | | | | |
| Annexure-II | | | | | | | |
| 1 | Microcentrifuge tube (0.5ml) 500/ pack | 02 pack | | | | | |
| 2 | Microcentrifuge tube (1.5ml) 1000/ pack | 05 pack | | | | | |
| 3 | Microcentrifuge tube (2.0ml) 1000/pack | 01 pack | | | | | |
| 4 | Glass beaker with markings (volume 250ml) 1/pack | 05 pack | | | | | |
| 5 | Glass beaker with markings (volume 500ml) 1/pack | 10 pack | | | | | |
| 6 | Glass beaker with markings (volume 1000ml) 1/pack | 10 pack | | | | | |
| 7 | Glass measuring Cylinder (250ml) 1/pack | 05 pack | | | | | |
| 8 | Glass measuring Cylinder (500ml) 1/pack | 05 pack | | | | | |
| 9 | Glass measuring Cylinder (1000ml) 1/pack | 05 pack | | | | | |
| 10 | Plastic beaker (volume 250ml) 1/pack | 05 pack | | | | | |
| 11 | Plastic beaker (volume 500ml) 1/pack | 05 pack | | | | | |
| 12 | Plastic beaker volume 1000ml) 1/pack | 05 pack | | | | | |
| 13 | Sterile Pipette 10 ul Tip with boxes, 10/pack (Box) | 10 boxes | | | | | |



| | | | | | | | |
|----|--|------------|--|--|--|--|--|
| 14 | Sterile Pipette 200 ul Tips with boxes, 10/pack (Box) | 10 boxes | | | | | |
| 15 | Sterile Pipette 1000 ul Tips with boxes, 10/pack (Box) | 20 boxes | | | | | |
| 16 | Disposable universal micropipette tips (1000ul), 1000/pack | 05 pack | | | | | |
| 17 | Disposable universal micropipette tips (200ul), 1000/pack | 02 pack | | | | | |
| 18 | Disposable universal micropipette tips (10ul), 1000/pack | 02 pack | | | | | |
| 19 | Examination gloves latex (Medium) 50 pair/box (Pair) | 10 boxes | | | | | |
| 20 | Examination gloves latex (Large) 50 pair/box (Pair) | 10 boxes | | | | | |
| 21 | Sterile surgical gloves (Size 6.5) 50 pair/box (Pair) | 10 boxes | | | | | |
| 22 | Sterile surgical gloves (Size 7) 50 pair/box (Pair) | 10 boxes | | | | | |
| 23 | Sterile surgical gloves (Size 7.5) 50 pair/box (Pair) | 10 boxes | | | | | |
| 24 | Screw capped bottles (Volume 250ml) 1pc/pack | 05 pack | | | | | |
| 25 | Screw capped bottles (Volume 500ml) 1pc/pack | 05 pack | | | | | |
| 26 | Screw capped bottles (Volume 1000ml) 1pc/pack | 05 pack | | | | | |
| 27 | Blotting sheets, 100 sheets/pack | 05 pack | | | | | |
| 28 | Cotton roll 500 gm (Roll) | 25 rolls | | | | | |
| 29 | Borosilicate Test tube (15ml volume) (pack) | 10 pack | | | | | |
| 30 | Test tube stands (pack) | 100 pieces | | | | | |
| 31 | Test tube holder (pack) | 100 pieces | | | | | |
| 32 | Droppers (pack) | 200 pieces | | | | | |



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120
(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

| | | | | | | | |
|----|--|-----------|--|--|--|--|--|
| 33 | Sample storage Box (96 wells per box for 1.5 ml Microcentrifuge tube) (pack) | 10 boxes | | | | | |
| 34 | Tissue paper roll | 60 rolls | | | | | |
| 35 | Parafilm Roll | 05 roll | | | | | |
| 36 | Wash bottle, 500ml, (Pack) | 10 pieces | | | | | |
| 37 | First aid kits | 03 box | | | | | |
| 38 | Waste disposal bags (Red, Blue, Green, Black) | 100 each | | | | | |
| 39 | Digital stopwatch (1/pack) | 10 pieces | | | | | |
| 40 | Cryoboxes (2ml tubes) (Pack) | 20 boxes | | | | | |
| 41 | Lab coat medium in size (Piece) | 05 piece | | | | | |
| 42 | Tissue Roll (Pack) | 50 rolls | | | | | |

Terms & Condition

1. Firm to mention Make/Brand name in their quotation.
2. GST, if any (Kindly mention in above table) should be clearly mentioned in the offer.
3. Document relating to registration of firm i.e., GST number and relevant document should be submitted along with quotation.
4. GST/other taxes please may be included in your quotation with the price in separate column.
5. Supply should be made within 15 days from the date of purchase order.
6. Price should be for Destination basis (i.e., concerned department).
7. Payment will be released after certification from HOD of Concerned Department / Inspection committee of AIIMS, Vijaypur, Jammu.
8. **Quotation Name, Name of Department and No. must be mentioned on top of envelope.**
9. Liquidated damage shall be @ 0.5% for delayed supply per week or part of week for delay subject to maximum of 10%.
10. AIIMS, Vijaypur, Jammu reserves the right to place order for full or part quantity to one or more firms. The AIIMS, Jammu reserves the right to increase/ decrease the number of required quantities all other terms & condition.
11. Sealed quotation should be submitted by speed post/ copy courier/ by hand to Procurement Section, AIIMS, Vijaypur, District Samba, Jammu (184120) up to **14-08-2024 till 03:00 pm.**
12. **Vendors would get their sample check by user department through procurement section before the last date of quotation opening.**
13. **Validity of quotation should be 90 days from the date of opening.**
14. **Sample to be submitted as and when required by the institute.**



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120
(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

15. Firm to submit documentary evidence in support of claim of GST at the time of submission of bills.
16. All column given in quotation should be filled otherwise quotation will not be accepted.
17. Along with quotation please mentioned Email-id and Contact Number.

Raksha Kundal
6/8/24

Dr Raksha Kundal
Chairperson,
Store Purchase Committee,
AIIMS, Vijaypur, Jammu



Specification

- All the chemicals must have laboratory grades.
- All chemicals must store as per manufacturers instructions and possess the maximum life at the time of delivery.

Department of Biochemistry

जैव रसायन विभाग

All India Institute of Medical Sciences, Vijaypur, Jammu

अखिल भारतीय आयुर्विज्ञान संस्थान, विजयपुर, जम्मू



Annexure-II

Specification of the items

| Sr. No. | Nomenclature of the items | Specification |
|---------|---|--|
| 1 | Microcentrifuge tubes, 0.5ml | 0.5 ml, PPE graduated tubes, autoclavable, conical bottom, DNase /RNase, pyrogen free, snap shut, transparent, withstand 20000G. Pack size: 500 tubes/pack |
| 2 | Microcentrifuge tubes, 1ml | 1ml, Made up of Virgin polypropylene, Low retention, Transparent/ Autoclavable, Graduated With snap cap, Frosted on side for easy writing, 1000/ pkt |
| 3 | Microcentrifuge tubes, 2ml | 2ml, Made up of Virgin polypropylene, Low retention, Transparent/ Autoclavable, Graduated With snap cap, Frosted on side for easy writing, 1000/ pkt |
| 4 | Glass beaker (volume 250ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 250 ml |
| 5 | Glass beaker (volume 500ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 500 ml |
| 6 | Glass beaker (volume 1000ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 1000 ml |
| 7 | Glass measuring Cylinder (250ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 250 ml |
| 8 | Glass measuring Cylinder (500ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 500 ml |
| 9 | Glass measuring Cylinder (1000ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 1000 ml |
| 10 | Plastic beaker (volume 250ml) | 250 ml, Class B, Polypropylene plastic, graduated, 6/pack |
| 11 | Plastic beaker (volume 500ml) | 500 ml, Class B, Polypropylene plastic, graduated, 6/pack |
| 12 | Plastic beaker (volume 1000ml) | 1000 ml, Class B, Polypropylene plastic, graduated, 6/pack |
| 13 | Sterile Pipette 10 ul Tip with boxes | Plastic microtip box, 1-10 μ l, 96 well, 10/pack |
| 14 | Sterile Pipette 200 ul Tips with boxes | Plastic microtip box, 10-200 μ l, 96 well, 10/pack |
| 15 | Sterile Pipette 1000 ul Tips with boxes | Plastic microtip box, 200-1000 μ l, 96 well, 10/pack |
| 16 | Disposable universal micropipette tips | 1000 μ l, Micropipette tips made up of virgin polypropylene, medical-grade, low retention, transparent clear, Autoclavable, Graduated, Non-racked, Non-sterile, without filter, 1000/pkt |
| 17 | Disposable universal micropipette tips | 200 μ l, Micropipette tips made up of virgin polypropylene, medical-grade, low retention, transparent clear, Autoclavable, Graduated, Non-racked, Non-sterile, without filter, 1000/pkt |
| 18 | Disposable universal micropipette tips | 10 μ l, Micropipette tips made up of virgin polypropylene, medical-grade, low retention, transparent clear, Autoclavable, Graduated, Non-racked, Non-sterile, without filter, 1000/pkt |
| 19 | Examination gloves latex (Medium) | Examination (non-sterile), medium size, 50 pair/box |
| 20 | Examination gloves latex (Large) | Examination (non-sterile), large size, 50 pair/box |
| 21 | Surgical gloves (6.5") | No.6.5, non-powdered surgical gloves, 50 pair/box, Nitrile, disposable |

Department of Biochemistry

जैव रसायन विभाग

All India Institute of Medical Sciences, Vijaypur, Jammu

अखिल भारतीय आयुर्विज्ञान संस्थान, विजयपुर, जम्मू



| | | |
|----|--------------------------------------|---|
| 22 | Surgical gloves (7") | No. 7", non-powdered surgical gloves. 50 pair/box, Nitrile. disposable |
| 23 | Surgical gloves (7.5") | No. 7.5, Non-powdered surgical gloves. 50 pair/box, Nitrile. disposable |
| 24 | Screw capped bottles (Volume 250ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 250 ml |
| 25 | Screw capped bottles (Volume 500ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 500 ml |
| 26 | Screw capped bottles (Volume 1000ml) | Transparent graduated, borosilicate, autoclavable, acid/alkali resistant, 1000 ml |
| 27 | Blotting sheets | Mill made, 500/paper |
| 28 | Cotton roll 500 gm | Sterile with high absorbency; 500 g, Non-woven fabric, Size 15cm x 3mt. Sterile with high absorbency |
| 29 | Borosilicate test tube | Glass test tube, clear, volume 20 ml, Overall Dimension: 16mm x 150mm |
| 30 | Test tube stands | Polypropylene, 40 or 48 places, tube diameter - 13-16 mm: for polypropylene blood collection tubes. |
| 31 | Test tube holder | Wood, with steel spring for closing jaws, length 180 mm approx for 11-19 mm dia. tubes. |
| 32 | Droppers | Made of plastic |
| 33 | Sample storage Box | Plastic, 96 wells per box for 1.5 ml Microcentrifuge tube, Capability to store at 4°C, -20°C and -80°C |
| 34 | Tissue paper roll | Lint-free tissue paper roll, one per pack, plain, 50x2 m |
| 35 | Parafilm Roll | flexible, semi-transparent, thermoplastic film that is used in laboratories for sealing and covering vessels. Size 0.13 mm thickness, odorless, and practically colorless |
| 36 | Wash bottle, 500ml | Non-toxic, Plasticware, 90x90x190 dimension |
| 37 | First aid kits | 12x4x8 inch Plastic Medical box, Breathable, hypoallergenic, fiberglass free filter |