#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU – 184120

(A Central Autonomous Body under PMSSY, MoH&FW, Government of India)

NIT Ref No: AlIMS/JMU/Sports/2024/01 Dated: 21<sup>st</sup> December 2024

# NIT for Planning, Designing, Supply, Installation, Commissioning and Maintenance of Gym on a Turnkey Basis at All India Institute of Medical Sciences, Vijaypur, Jammu -184120



#### Address to:

Deputy Director (Administration)

All India Institute of Medical Sciences, Vijaypur, Jammu-184120

Office Address: 6<sup>th</sup> Floor, Academic Block, AIIMS, Vijaypur, Jammu-184120

NIT Document can be downloaded from following websites:

- https://www.eprocure.gov.in/epublish/app
- https://www.aiimsjammu.edu.in/

# Notice Inviting Tender for Planning, Designing, Supply, Installation, Commissioning and Maintenance of Gym on a Turnkey Basis at All India Institute of Medical Sciences, Vijaypur, Jammu

Bids /Proposals are invited on behalf of "The Executive Director & CEO", AIIMS, Vijaypur, Jammu, in the Two Bid System (i.e., Technical Bid and Financial Bid) from eligible Manufacturers/ Companies/ Authorised distributors online, through CPP portal <a href="https://www.eprocure.gov.in/epublish/app">https://www.eprocure.gov.in/epublish/app</a> and website of AIIMS, Vijaypur, Jammu <a href="https://www.aiimsjammu.edu.in/">https://www.eprocure.gov.in/epublish/app</a> and website of AIIMS, Vijaypur, Jammu on a Turnkey Basis at All India Institute of Medical Sciences, Vijaypur, Jammu.

#### **Brief details of Tender**

E-Tender No.	Description	Estimated tender cost	EMD
AIIMS/JMU/Sports/2024/01/0 101	Planning, Designing, Supply, Installation, Commissioning and Maintenance of Gym on a Turnkey Basis at All India Institute of Medical Sciences, Vijaypur, Jammu	Rs. 185 Lakh	Rs. 9.25 Lakh

Tenderer needs to deposit the EMD Amount as mentioned above in the form of FDR or Bank Guarantee in Favor of "The Executive Director & CEO, AIIMS, Vijaypur, Jammu", payable at Jammu and legible Hard copy of EMD, in sealed envelope should be submitted along with prequalification documents in the Technical Bid Envelope, before the closing date of Submission of Bid in the Tender Box kept in the Committee Room of Procurement Section, 5<sup>th</sup> Floor, Academic Block, AIIMS Vijaypur, Jammu-184120 (J&K)India-184120.

**Bidders can download the complete set of bidding documents from:** <a href="https://www.eprocure.gov.in/epublish/app">https://www.eprocure.gov.in/epublish/app</a> and website of AIIMS, Vijaypur, Jammu: <a href="https://www.aiimsjammu.edu.in/">https://www.aiimsjammu.edu.in/</a>

Bidders have to submit the bids offline along with all the requisite documents.

Sd/-Deputy Director (Administration) AHMS Vijaypur, Jammu

# **Bid Schedule Critical Dates**

S.no.	Description	NIT Details
1.	Date of Issue/Publishing	21/12/2024 Time 12:30 Hrs. (Saturday)
2.	Number of Covers	02 (Two):- Cover-I (Technical Bid) and Cover-II (Financial Bid)
3.	Bid Document Download Starting Date	21/12/2024 Time 13:00 Hrs (Saturday)
4.	Place of Submission of Bid Documents	Tender Box, placed at Committee Room of Procurement Section, 5 <sup>th</sup> Floor, Academic Block, AIIMS, Vijaypur, Jammu-184120
5.	Bid Submission Starting Date	21/12/2024 Time 13:30 Hrs. (Saturday)
6.	related to tender)	Will be held in person at Committee Room, 5 <sup>th</sup> Floor, Procurement Section, Academic Block AIIMS, Vijaypur, Jammu on 30/12/2024(Monday) by 1100 hrs.
7.	Bid Submission End Date	21/01/2025 Time 17:30 Hrs. (Tuesday)
8.	Date and Time of Opening of Technical Bids (Cover-I)	22/01/2025 Time 11:00 Hrs. (Wednesday)
9.	Date of Opening of Financial Bids (Cover-II)	29/01/2025 Time 12:00 Hrs. (Wednesday)
10.	Estimated Cost	Rs 1.85 Crore.
11.	Tender Fee (Non-refundable)	Rs.1,000/- to be paid via NEFT/RTGS in favor of AIIMS, Vijaypur, Jammu along with bid documents(Account details provided at S. no. 16 below).
12.	EMD (Earnest Money Deposit)	Rs. 9,25,000/-
13.	Performance Bank Guarantee	10% of the Contract Value.
14.	Bid Validity	180 days from the tender opening date.
15.	Contact e-mail Id(For any query related to this tender)	dda@aiimsjammu.edu.in
16.	Bank details for EMD and PBG	Account Name: All India Institute of Medical Sciences, Vijaypur Account No.: 41945059148 IFSC Code: SBIN0017695 Bank Name: State Bank of India Branch: HNI Branch, Rail Head Complex, Bahu Plaza, Jammu

Sd/-Deputy Director (Administration) AIIMS Vijaypur, Jammu

Dated: 21st December 2024

# **INDEX**

Dated: 21st December 2024

S. No.	Content	Chapter No. /Annexure No.	Page No.
1.	Instructions to Bidders	-	5-6
2.	General Terms and Conditions	-	7-14
	Additional Terms and Conditions	-	15-16
3.	Schedule of Requirement	Annexure -1	17-25
4.	Undertaking for compliance of T&C of tender	Annexure -2	26-27
5.	Affirmation	Annexure-3	28
6.	Criminal Liability Undertaking	Annexure-4	29
7.	Technical Bid(Checklist)	Annexure-5	30-32
8.	Financial Bid	Annexure -6	33-35
9.	Performance Security Bank Guarantee Format (PSBG)	Annexure -7	36
10.	Pre-Contract Integrity pact	Annexure -8	37
11.	PFMS Registration form	Annexure -9	38
12.	GST Registration Details of AIIMS, Vijaypur, Jammu	Annexure -10	39
13.	Non-Blacklisting Certificate	Annexure -11	40
14.	Manufacturer Authorization Form	Annexure -12	41

Tender ID: AlIMS/JMU/Sports/2024/01 Dated: 21st December 2024

# **Instructions to Bidders**

#### 1. Clarification on Bidding Documents

The prospective Bidder may seek clarification about bidding documents via email or during the pre-bid meeting, which shall be held on the scheduled date as mentioned in the Tender Document and CPP Portal. The clarification of the queries will be uploaded on the website of AIIMS, Vijaypur, Jammu and CPP Portal for Bidders' information. Bidders are required to consider all the clarifications/amendments while preparing their bid proposals. Therefore, bidders are requested to visit the website on regular basis to check for necessary updates. These changes can be incorporated up to 7 days before the last date of bid submission.

#### 2. Amendments in Bidding Documents

Changes can be incorporated anytime up to 7 days before the last date of bid submission by AIIMS, Vijaypur, Jammu, which may for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the bidding document through amendment. All amendments will be submitted offline, along with a technical bid. The AIIMS, Vijaypur, Jammu shall not be responsible for notifying the amendments to individual bidders. All amendments by the AIIMS, Vijaypur, Jammu till 7 days before the deadline for submission of bids, shall be binding on the participatory bidders.

- 3. The Bidder is expected to examine all instructions, forms, terms and specifications in the bidding document. The bid should be precise, complete and in the prescribed format as per the requirement of the bid document. The bid should not be conditional. Failure to furnish all information required by the bidding document or submission of a bid not responsive to the bidding documents in every respect will beat the Bidder's risk and may result in rejection of the bid. The Bidder shall bear all costs associated with the preparation and submission of its bid and Client will in no case be held responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.
- 4. Bids for the tender will be accepted through offline mode in Tender Box only.
- 5. Before participation in the tendering process, the tenderers, in their own interest, are advised to visit the Institute to assess site and its surrounding and satisfy themselves in respect of the site conditions as the AIIMS, Jammu shall bear no responsibility for lack of acquaintance of the site and other conditions or any information relating thereto, on their part. The consequences of the lack of knowledge, as aforesaid, on the part of the tenderers shall be at their own risk & responsibility.
- 6. All rows & columns in the prescribed format should be filled and not left blank, or they may be struck as not applicable.
- 7. Each document should be serially numbered and self attested by the bidder with the firm's rubber stamp on each page. In the absence of any documents, the tender may be rejected.
- 8. Price Preference Policy and Exemption for submission of various eligibility Criteria documents to the Bidders registered under Make in India Initiative:

The Bidder Companies, those have registered under Make in India initiative and producing their products under "Make in India Policy of GOI" shall be given Preference as per Govt. of India applicable Rules and Guidelines on submission of relevant certificate (i.e. Make In India Certification) for availing the Preference and Exemption for submission of exempted documents against this bid along with their Technical Bid Documents (If no bidder submits the requested "Make in India" Certificate along with their Bid, it will be treated as open tender bid and no preference shall be given to such Bidders on producing "Make in India" Certification in later bid stage). It is expected that, all the participating

Bidders companies have understanding and prior knowledge about the "Make in India" Initiative and Price Preference Policy of Govt. of India. However, it is once again emphasized that before participating in this tender please carefully read the "Make in India" Initiative and directives of Govt. of India, since in case if any "Make in India" Registered Company will participate against this tender, the Price preference as per the same will be given to such participating Bidder company for ensuring necessary compliances of "Make in India" Policy of the Govt. of India.

#### 9. Two Bid System

The required hard copies of respective bids viz. Technical and Financial, shall be submitted separately in sealed envelopes and both bids will be submitted in one outer envelope superscribing the title of the "e-NIT for Planning, Designing, Supply, Installation, Commissioning and Maintenance of Gym on a Turnkey Basis at All India Institute of Medical Sciences, Vijaypur, Jammu -184120" alongwith Tender Id, before the last date of submission of the bids as per the schedule for critical dates given in this e-NIT. The participating Bidder shall submit all requested bid documents (i.e. Technical and Financial Bid) duly signed and scanned copies in the tender box kept in Procurement Section, AIIMS, Vijaypur, Jammu. If any of the requested document(s) scanned copies are/is not found submitted in the tender box by the Bidder, their bid is liable for rejection. Thus, please study this tender very carefully and fill it out accordingly. Thus, the bid must consist of following:-

- a) **Technical Bid:** Separate envelope consisting of technical bid documents must be superscribed as Technical bid, which shall be opened as per the schedule given above at page no. 3. Technical bid must be complete in all respects and contains the required enclosures, as mentioned at "**Annexure-5**"(Self attested copy).
- b) **Financial Bid:** Separate envelope consisting of financial bid documents must be superscribed as Financial bid. The Financial Bids of bidders who qualify at the Technical Bid Stage will be opened as per the schedule given above at page no. 3.

The Sealed Technical bid envelope of all bidders will be opened first. The financial bid of only those bidders will be considered who qualify for the technical evaluation.

10. Hard copies of all requisite documents must be submitted in the tender box placed at Procurement Section, AIIMS, Vijaypur, on or before the last date of bid submission. It must be numbered serially and in sequential manner as shown/done in Annexure-5(Format to be filled by the bidder).

#### **GENERAL TERMS AND CONDITIONS**

- 1. The language of the tender shall be in English.
- 2. The bidders must have atleast 03 (three) years of experience in similar job in any Government/Institution directly.
- 3. The average annual turnover for the last three years should be Rs. Five Crore. Certificate in this regard must be furnished by the bidders alongwith their bid to substantiate their claim.
- 4. The firm/ agency must have requisite trade and other licenses to do the business for which the bid is being made.
- 5. <u>Eligibility Criteria:</u> To be eligible, the Manufacturing Company/ Firm/Authorized Dealer/Distributor should fulfil all the eligibility criteria mentioned in the Technical Bid("Annexure-5") and other conditions/instructions mentioned in the tender document.
- 6. The tender shall be rejected if:
  - (a) A firm submits Conditional tender;
  - (b) More than one type of rate is quoted for one product.
  - (c) Requisite documents authentic and legible scanned copies are not submitted.
- 7. The bidders are at liberty to be present at the time of various tendering events as per the scheduled dates mentioned in the tender document, subject to their eligibility on various stages of bidding. The bidder should quote only one rate for each item as **Price per unit** + **Tax in%** (if any) INCLUSIVE OF ALL (PER UNIT). If taxes are not quoted separately, then it will be deemed that the rates quoted are inclusive of all taxes & nothing will be extra payable. Rates quoted should be in words and in figures. No correspondence in this regard will be entertained at a later date. **The rate of the L1(Lowest Bidder) will be fixed for the tenure of the contract.**
- 8. Anti-Profiteering Rule under GST Act 2017:- No item should be quoted at a price more than the M.R.P. by any supplier agency to AIIMS Vijaypur, Jammu. The M.R.P is required to be clearly mentioned on each of the supplied items/it's packaging in their offered pack size(if applicable).
- 9. Fall Clause: If at any time during the execution of the contract, bidder reduces the sale price or sells or offers to sell item/equipment, as are covered under the contract, to any person/organization including the purchaser or any department of Central Government or any department of AIIMS, Vijaypur, Jammu/PSUs at a price lower than the price chargeable under the contract during the Current Financial Year, he shall forthwith notify The Executive Director & CEO AIIMS, Vijaypur, Jammu.
- 10. **Earnest Money Deposit**: Each bid must be accompanied by "Earnest Money Deposit" in the form of FDR or Bank Guarantee with validity of equal to or more than 8 months from the date of opening of tender, as mentioned in the Notice Inviting Tender. EMD is subject to forfeiture in following cases:
  - a) If the Bidders withdraw their Bids after the opening of the same or the successful bidders withdraw their Bids after approval of their rates.
  - b) If the successful bidders fail to supply or refuse either partial or total offer (Acceptance) made by Incharge Procurement Cell AIIMS Vijaypur, Jammu.

EMD of unsuccessful bidders will be returned after the finalization of the tender. Whereas, the EMD of successful bidder(s) will be returned only after the receipt of Performance Security Deposit from successful bidder.

- 10. Performance Security Deposit: The selected bidder(s) must deposit the requisite amount of Security Money (@10% of the contract value) within the stipulated date specified in the acceptance letter. The approved firm shall deposit the Security Money in the form of FDR or Bank Guarantee, valid for a period of 26 months from the date of issuance of LOI(Letter of Intent) in favor of "The Executive Director & CEO, AIIMS, Vijaypur, Jammu", payable at Jammu. In case of extension of contract, the validity of PBG will be extended accordingly. Security Deposit of the bidder is subject to forfeiture in following cases:
  - a) In the event of failure to supply or maintain the equipment/ instruments as per the terms & conditions of the contract within the stipulated period, the security deposit may be forfeited.
  - b) In case of failure to supply or maintain the item/equipment as per the contract, AIIMS will make arrangement for the same, at the risk and cost of the agency/firm, without any further reference, so that the loss incurred would be recoverable from the Security Deposit of the said firm/agency or from any sum due of which may become due to the agency/firm.
  - c) If any equipment/ instrument is damaged by the approved firm, the cost of the same will be deducted from the deposited Security money of the firm/agency.

After successful completion of the entire supply and period of maintenance, the security deposit will be refunded within six months if not extended for a further period.

#### 12. Submission of Documents:-

- a) Each tender must accompany self attested copy of documents as sought at Annexure-5.
- b) In the case of the SSI/NSIC unit, the current SSI/NSIC certificate must be deposited by the bidder along with his tender which is issued in favour of the bidder for this type of job the bidder is exempted from submitting EMD & Tender Fee.
- c) In the case of Co-operative Society Limited, Companies etc. this type of job must be included in the object of their by-laws or MoA, as the case may be.

#### 13. **Rates:-**

- a) Rates should be quoted as per the Financial bid format attached(**Annexure-6**) with the tender document with respect to each item. All corrections must be initiated.
- b) Rate should be quoted for all items/equipments in detail as described in the tender schedule otherwise tender will be rejected.
- 14. In the event of the tender being submitted by a firm, it must be signed separately by each member thereof, or in the event of absence of any partners, it must be signed on his behalf by a person holding "Power of Attorney" authorizing him to do so. Such "Power of Attorney" is to be produced with the Tender and in the case of the firm, carried on by one member of the Joint Family, it must be disclosed that the firm is duly registered under the 'Indian Partnership Act'.
- 15. Before submission of the tender, the bidder shall self attest each page of his tender and all of its relevant papers with date. The additional alternative and or subtractive clause (if any) shall also be signed by the bidder.
- 16. <u>Warranty:</u> The items/equipment and accessories etc. supplied as a result of this contract/supply order shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained/mentioned against each item in the tender document/supply order. The bidder will provide a warranty that the said item/equipment etc. would continue to conform to the description and quality aforesaid for a period of 2 years from the date of delivery/installation of the said item/equipment etc. to the buyer.

#### 17. Comprehensive Annual Maintenance Contract:

- a) The decision to enter into CMC or AMC will be determined on the basis of the cost and complexity of the equipment by the Tender Inviting Authority, at its discretion, prior to the expiration of the warranty period.
- b) The Comprehensive Maintenance Contract (CMC) is otherwise an extended warranty. All the terms and conditions agreed by the successful Bidder for executing the comprehensive warranty of the equipment shall be extended during the period of CMC, the only difference being the payment of CMC charges is absent during the period of the comprehensive warranty.
- c) The cost of CMC, accessories and spares as in case may be quoted along with taxes applicable, if any. The taxes to be paid extra, are to be specifically indicated. In the absence of any such stipulation, the price will be taken inclusive of such taxes and no claim for the same will be entertained later.
- d) Failure/refusal on the part of the successful tender supplying/installing the equipment to enter into CMC with the Tender Inviting Authority, at the end of the Comprehensive Warranty Period, if the Institute, as the case may be, desires so, shall lead to forfeiture of performance security and may also result in the blacklisting/debarring of the Bidder.
- e) The successful Bidder shall also indicate the rates for the CMC in price bid form and such rates are binding on the successful tenders after the expiration of the warranty period. The yearly rates for CMC shall remain the same as quoted in the price bid form for the extended years.
- f) Cost of CMC (excluding taxes, if any) will be considered for Ranking/Evaluation purposes.
- g) The payment of the agreed CMC charges will be made as per frequency for payment after satisfactory completion of said period, on receipt of the service report/breakdown report from the user.
- h) The Bidder shall also have to submit whether periodic replacements of consumable items are required for the proper functioning of their quoted machine/Equipment. If yes, they should submit the list of such consumables along with the price list and frequency of replacement per year if the same is not included in quoted Comprehensive Annual Maintenance Contract charges per year.

#### 18. Critical Time Limits:-

- a) Installation & delivery period 60 days from date of issuance of Letter of Intent/Supply Order.
- b) Comprehensive warranty period 2 years from the date of successful installation.
- c) CMC period 3 years after expiry of the 2 years warranty.
- d) Frequency of visits of engineer/technical person to AIIMS during Warranty/CMC One visit every three months (4 visits in a year) for periodic/preventive maintenance and any time for attending repairs/breakdown calls.
- e) Frequency of payment of CMC charges- Annually after completion of the period subject to submission of satisfactory performance report by the Sports Committee or Incharge Sports of AIIMS, Jammu.
- f) Submission of Performance Security and execution of the contract within 10 days from the date of issuance of Letter of Intent.
- g) Maximum time to attend any Repair call within 24 hours.
- h) Uptime in a year during warranty as well as during CAMC period 95% of 365 days.

The contract can be cancelled unilaterally by the buyer in case items are not received within the contracted delivery period. Extension of the contracted delivery period will be at the sole discretion of the buyer, with the applicability of the LD clause.

19. <u>Liquidated damages</u>: In the event of the seller's failure to submit the guarantees and documents, supply the stores/goods, and installation of equipment as per the contract agreement, the buyer will at its discretion withhold any payment until the completion of the contract. The buyer may also deduct from the seller as agreed, liquidated damages to the sum of 0.5% of the contract price of the delayed/undelivered stores/services mentioned above for every week of delay or part of the week, subject to the maximum value of the Liquidated Damages being not higher than 10% of the value of delayed stores.

- 21. <u>Rate-Revision:</u> Successful bidders shall not be entitled to any rate-revision of price for any reason except Govt. levies, which become applicable after the finalisation of the contract along with adequate documentary proof thereof. No change/alteration, on plea of clerical or typographical error, in rates or other terms in the tender will be permitted under any circumstances. Withdrawal of the complete tender can be allowed, but in such cases, the earnest money deposit shall be forfeited in full. Partial withdrawal (with respect to one or more items quoted) will not be allowed under any circumstances.
- 22. <u>Inspection of The Premises:</u> The Competent Authority of AIIMS, Vijaypur, Jammu or his nominee reserves the right to inspect the firms participating in the tenders by officers appointed by The Director AIIMS, Vijaypur, Jammu. They can carry out an inspection of the premises to assess the capacity/capability/eligibility of the firm to ensure that the bidder is following good practices. The decision of the Director shall be final in this regard.
- 23. <u>Inspection Of Supplies:-</u> Inspection will be done by the duly constituted committee and or authorised representatives in AIIMS, Vijaypur, Jammu premises at the designated place. The Consignee Receipt & Acceptance Certificate will be issued to the supplier Agency by the constituted committee and this needs to be submitted with the payment claim of the supplier agency on each occasion when the bill is raised as per the terms & conditions of the contract.
- 24. **Repeat Order Clause:** The buyer can order up to 50% quantity of the items under the present contract within six months from the date of supply/successful completion of the work, with the cost, terms & conditions remaining the same. The bidder is to confirm acceptance of this clause. It would be entirely the discretion of the buyer to place the repeat order or not.
- 25. <u>Apportionment of Quantity:</u> If there is apprehension that L1 may not have the capacity to supply the entire requisite quantity within the defined time, then, the order may be placed on L2, L3 and so on for the balance quantity at L1 rates, provided this is acceptable to them. The ratio of splitting of supply order will be worked as per the capability of the L1 firm.
- 26. The following conditions are an integral part of the tender:
  - a) This is a Turn Key Contract for setting up of GYM for AIIMS Vijaypur, Jammu and any work/ items of work essentially required for the functioning of the GYM but not included in the BOQ / items of BOQ, shall be deemed to have been included in the rates quoted by the vendor/ bidder and shall be executed by the successful vendor/ bidder without any extra cost.
  - b) All items of work/ works of electric supply, water supply, plumbing, disposal from the source of supply/ point of disposal for the functioning of GYM shall be deemed to have been included in the rates quoted by the vendor/ bidder and shall be executed by the successful bidder/ vendor without any extra cost.
  - c) Any additions/ alterations/ demolitions/ dismantling of existing structures / civil works / electrical works / HVAC works / LV works required for setting up of functional GYM and repair / redoing to original specifications/ finishes shall be deemed to have been included in the rates quoted by the bidder/ vendor and shall be executed by successful bidder/ vendor without any extra cost. The vendor will work in association with civil & electrical contractors of the institute to ensure proper connectivity to all fittings & fixtures.
  - d) All the bidders/ vendors are advised to visit the site location/ room of the proposed GYM to assess the requirement before quoting the rates. Even if, bidders/ vendors do not visit the site, it will be considered that bidders/ vendors have quoted the rates after assessing the correct requirement and no claim whatsoever on this account will be admissible.
- 27. <u>Disputes And Arbitration:</u> In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS, Vijaypur with regards to the interpretation of "Terms & Conditions" stipulated herein or in the contract done, the same shall be referred to the Competent authority, AIIMS Vijaypur whose decision will be final and binding upon the contractor.

- 28. <u>Payment terms:</u> 100% payment will be made after successful completion of the work subject to submission of the following documents:
  - a. Ink signed copy of the bill in triplicate.
  - b. Ink signed copy of the commercial invoice
  - c. Copy of original supply order
  - d. Inspection note issued by the sports Committee of AIIMS Vijaypur, Jammu
  - e. Warranty certificate
  - f. Performance Bank Guarantee
  - g. DP extension letter if any.
  - h. Details for electronic payment viz accounts holder name, bank name, branch name, IFSC code, MICR code.
- 29. The quoted rates must be valid for the entire tender period, which, if the Institute authority desires, may be extended for a further period by issuing proper notification.
- 30. Acceptance of the lowest bid is not obligatory.
- 31. The Tender submitted by the firm who has already been Blacklisted or whose contract was terminated for dissatisfactory supply or repairing works or who was unable to execute any contract in this hospital or any other Hospital run by the state or central government, will not be considered, even if he emerges as the lowest bidder.
- 32. Regarding Supply and Charges for repairing, Abnormal Low Rates or Abnormal High Rates (in comparison to the market Rate) will not be considered.
- 33. The approved firm, after supplying the equipment, has to deposit the spares (if any) to the Incharge of the respective user Department (Sports Committee) which should be shown clearly in the Service Reports duplicate copy of which must be furnished to the AIIMS, Vijaypur, Jammu Store.
- 34. The repair bill may be submitted after the execution of the work order satisfactorily along with the Service Report duly certified by the respective user department (Sports Committee). Bidders should be original equipment manufacturers or authorized dealers who have ink signed and stamped authorization letters in original from the OEM (Original Equipment Manufacturer) of offered items. In case of bidder and OEM are the same, a Valid Udyam registration certificate issued by MSME is to be submitted in support of the same.
- 35. The bidder should have a valid ISO 9001:2018 / ISO 45001:2015 certification.
- 36. The goods supplied should have two-year onsite warranty and should include delivery, onsite installation, and onsite training.
- 37. Equipment made to ASTM / EN 957 / CE / LVD / BS EN ISO 20957 international Standard for gym/ fitness equipment. All quality certificates as per specifications must be issued before the release date of tender.
- 38. Standard exemption towards prior experience criteria and turnover will be given to startups incorporated in the same field recognized under DIPP and start-up India provided that the registered startups must be more than 3 years old from the date of publishing of the bid.
- 39. Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier Respectively.

- 40. The bidder must enclose a notarized certificate that the Organization has not been blacklisted and/or debarred from business by any institution of the State. Government, Central Government, Central & State Govt. Undertakings, Govt E-marketing (GEM) portal or any other Quasi-Government bodies/ Organizations or International organizations such as World Bank, ONVIF or any major Enterprise/Organization in India for non-satisfactory performance, corrupt & Fraudulent or any other unethical business practices, not meeting critical conditions/ standards/security clearance etc. in the past five years. Non-compliance shall result in the rejection of the Bid. The bidder through its director(s) or company, or other companies owned by its directors has never been debarred/blacklisted by any government authority or misled any department for execution of government works.
- 41. Local suppliers under the Make in India initiative are eligible to apply as per the Public Procurement (Preference to Make in India) Order by Department for Promotion of Industry and Internal Trade, Government of India.
- 42. Gym Trainers must be experienced and possessing a relevant certificate for carrying out the said job. The selection of the Gym Trainer will be done by the Sports Committee/ Competent Authority of AIIMS, Jammu.

#### 43. Packing and Marking:

- a) The packing for the goods to be provided by the supplier should be strong and durable enough to withstand, without limitation, the entire journey during transit, including transshipment (if any), rough handling, open storage, etc., without any damage, deterioration, etc. As and if necessary, the size, weights and volumes of the packing cases shall also take into consideration, the remoteness of the final destination of the goods and availability or otherwise of transport and handling facilities at all points during transit up to final destination as per the contract.
- b) The quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall strictly comply with the requirements as provided in Technical Specifications. In case the packing requirements are amended due to issue of any amendment to the contract, the same shall also be taken care of by the supplier accordingly.
- c) Packing instructions: Unless otherwise mentioned in the Technical Specification, the supplier shall make separate packages for each consignee (in case there is more than one consignee mentioned in the contract) and mark each package on three sides with the following with indelible paint of proper quality:
  - i. Contract number and date.
  - ii. Brief description of goods including quantity.
  - iii. Packing list reference number.
  - iv. Country of origin of goods.
  - v. Consignee's name and full address and
  - vi. Supplier's name and address

#### 44. Inspection, Testing and Quality Control:

a) The purchaser and/or its nominated representative(s) will, without any extra cost to the purchaser, inspect and/or test the ordered goods and the related services to confirm their conformity to the contract specifications and other quality control details incorporated in the contract. In case the goods are rejected in the first instance and the supplier requests for re inspection, and if same is accepted by

Purchaser/Consignee, all subsequent inspections shall be at the cost of the supplier. The expense will be to and from Economy Airfare, Local Conveyance, Boarding and Lodging of the inspection team for the inspection period."

- b) The Technical Specification incorporated in the contract shall specify what inspections and tests are to be carried out and, also, where and how they are to be conducted. If such inspections and tests are conducted in the premises of the supplier or its subcontractor(s), all reasonable facilities and assistance, including access to relevant drawings, design details and production data, shall be furnished by the supplier to the purchaser's inspector at no charge to the purchaser.
- c) If during such inspections and tests the contracted goods fail to conform to the required specifications and standards, the purchaser's inspector may reject them and the supplier shall either replace the rejected goods or make all alterations necessary to meet the specifications and standards, as required, free of cost to the purchaser and re-submit the same to the purchaser's inspector for conducting the inspections and tests again.
- d) In case the contract stipulates pre-dispatch inspection of the ordered goods at supplier's premises, the supplier shall put up the goods for such inspection to the purchaser's inspector well ahead of the contractual delivery period, so that the purchaser's inspector is able to complete the inspection within the contractual delivery period.
- e) If the supplier tenders the goods to the purchaser's inspector for inspection at the last moment without providing reasonable time to the inspector for completing the inspection within the contractual delivery period, the inspector may carry out the inspection and complete the formality beyond the contractual delivery period at the risk and expense of the supplier. The fact that the goods have been inspected after the contractual delivery period will not have the effect of keeping the contract alive and this will be without any prejudice to the legal rights and remedies available to the purchaser under the terms & conditions of the contract.
- f) The purchaser's contractual right to inspect, test and, if necessary, reject the goods after the goods' arrival at the final destination shall have no bearing of the fact that the goods have previously been inspected and cleared by purchaser's inspector during pre-dispatch inspection mentioned above.
- g) "On rejection, the supplier shall remove such stores within 14 days of the date of intimation of such rejection from the consignee's premises. If such goods are not removed by the supplier within the period mentioned above, the purchaser/consignee may remove the rejected stores and either return the same to the supplier at his risk and cost by such mode of transport as purchaser/consignee may decide or dispose of such goods at the suppliers risk to recover any expense incurred in connection with such disposals and also the cost of the rejected stores if already paid for."
- h) Goods accepted by the purchaser/consignee and/or its inspector at initial inspection and in final inspection in terms of the contract shall in no way dilute purchaser's/consignee's right to reject the same later, if found deficient in terms of the warranty clause of the contract.
- i) Principal/ Foreign supplier shall also have the equipment inspected by recognized/ reputed agency like SGS, Lloyd, Bureau Veritas, TUV etc. prior to dispatch at the supplier's cost and furnish necessary certificate from the said agency in support of their claim.

#### 45. Insurance:

- a) The supplier shall be responsible till the entire stores contracted for arrival in good condition at destination. The transit risk in this respect shall be covered by the Supplier by getting the stores duly insured for an amount equal to 110% of the value of the goods from warehouse to warehouse (consignee site) on all risk basis. The insurance cover shall be obtained by the Supplier and should be valid till 3 months after the receipt of goods by the Consignee.
- b) If the equipment is not commissioned and handed over to the consignee within 3 months, the insurance will have to be extended by the supplier at their cost till the successful installation, testing, commissioning and handing over of the goods to the consignee. In case the delay in the installation and commissioning is due to handing over of the site to the supplier by the consignee/End User, such extensions of the insurance will still be done by the supplier, but the insurance extension charges at actual will be reimbursed.

#### 46. **Spare parts:**

- a) If specified in the List of Requirements and in the resultant contract, the supplier shall supply/provide any or all of the materials, information etc.(refer Annuexure-1) pertaining to spare parts manufactured and/or supplied by the supplier.
- b) The spare parts as selected by the Purchaser/End User to be purchased from the supplier, subject to the condition that such purchase of the spare parts shall not relieve the supplier of any contractual obligation including warranty obligations; and
- c) In case the production of the spare parts is discontinued:
  - (i) Sufficient advance notice to the Purchaser/End User before such discontinuation to provide adequate time to the purchaser to purchase the required spare parts etc., and
  - (ii) Immediately following such discontinuation, providing the Purchaser/End User, free of cost, the designs, drawings, layouts and specifications of the spare parts, as and if requested by the Purchaser/End User.
  - (iii) Supplier shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the goods so that the same are used during warranty and CAMC period.
- 47. **Incidental Services:** The supplier shall be required to perform the following services:
  - a) Installation & Commissioning, Supervision, Demonstration, Trial run etc. of the goods.
  - b) Turnkey work (if any).
  - c) Training of Consignee's/End Users Doctors, Staff, operators etc. for operating and maintaining the goods.
  - d) Supplying required number of operation & maintenance manual for the goods.

#### 48. Exclusive right:

- a) The Competent Authority of AIIMS, Vijaypur, Jammu, has the full and exclusive right to accept or reject, increase or decrease order quantity, any or all the tenders(including the lowest quotation) without assigning any reasons thereof and also to cancel the supply at any time without assigning any reason. No correspondence in this regard will be entertained.
- b) The Competent Authority of AIIMS, Vijaypur or his nominee reserves the right to invite, at his sole discretion, separate Rate quotations/Inquiries to effect purchase outside this contract in the event of any urgent demand arising in AIIMS Vijaypur, Jammu, where no stock/option is available or otherwise.

#### **Additional Terms and Conditions(ATC)**

- 1. The Bidder is expected to go through all the instructions given in the ATC document.
- 2. Tender is Two bid system. Step 1 Technical evaluation and step 2 Financial evaluation.
- 3. Documents should be submitted in the tender box placed at Procurement Section, Administrative Block, AIIMS, Vijaypur, Jammu, as per the terms & conditions of the tender document on or before the last date of submission of bids(Absence of any documents may lead to the rejection of tender). Serial Number of submitted documents should be in sequence.
- **4.** Tenderer needs to deposit the EMD Amount as per above mentioned in the form of FDR or Bank Guarantee in favour of "The Executive Director and CEO, AIIMS Vijaypur, Jammu", payable at Jammu.
- 5. Bidder signed and stamped legible valid copy of Firm/Company Registration/Incorporation Certificate.
- **6.** Bidder signed and stamped copy of GST Registration and proof of latest quarter GST returns filed by the participating Bidder Company.
- 7. Bidder signed and stamped copy of PAN Card in the name of firm/company.
- 8. Bidder signed and stamped copy of CA certificate for Income Tax return of the firm/company for the last three financial years (i.e. Financial Year- 2021-22, 2022-23 and 2023-24).
- **9.** Account for last three Financial Years (i.e. for FY 2021-22, 2022-23 and 2023-24) duly certified by the Chartered Accountant/Company Secretary must be submitted. The average annual turnover of the Bidder company for participating in this tender must be Exceeding **Rs. 5 Crore.** For this purpose a scanned copy of Letter duly certified by the Chartered Accountant/Company Secretary for clearly mentioning the above three FY's Annual Turnover Figures must be submitted for necessary references by the Bidder.
- 10. List of Name of the Organizations and their contact details where the indoor gym equipment have been previously supplied to any Institute of national importance/ Government Hospital/ departments /Institute/PSU's/Other reputed Institutions in India in Last Three Financial Years (i.e. 2021-22, 2022-23 and 2023-24) must be submitted. If any Bidder will not submit the requested List of above requested information in respect of Items asked in this Tender enquiry of the requested FYs, there bid is liable for rejection.
- 11. Signed and attested legible scanned copies of atleast three nos. of **Previous Purchase Order Copies** supplemented by **Buyer Acceptance/Receipt/Inspection Report** of similar gym items/equipments(refer Annexure-1), which they have supplied to various reputed Institute of National Importance/Government Hospitals/Institutions/PSU's/Other reputed Hospitals/Institutions in India in the last Three Financial Years in Chronological Order from **F.Y. 2021-22, 2022-23 and 2023-24,** clearly showing the financial value of PO amount for Technical bid evaluation purpose.
- 12. Singed and attested legible scanned copies of Performance Certificates regarding their Supply, their Consumables Performance/Items, which they have been supplied to various reputed Government Hospitals/Institutions/PSU's/Other reputed Hospitals/Institutions in India in the last Three Years in Chronological Order from FY- 2021-22, 2022-23 and 2023-24.
- 13. Signed & scanned copy of the authorization Letter in the name of the Authorized Person allowed by the Proprietor / Owner to sign the documents in case the owner/proprietor is not signing the tender document. Declaration/authorization from the manufacturer should be submitted for every quoted item / Consumables. However, if the bidder is quoting more than one Consumables/item of the same make,

single authorization mentioning the name of items / Consumables from the manufacturer is sufficient, the same make, single authorization mentioning the name of items / Consumables from the manufacturer is sufficient.

- **14.** Signed and Scanned Checklist of requisite Technical documents to be submitted in the respective Technical Bid Document.
- 15. Scanned copy of list of the items with its make, model & country of origin without indicating prices in Technical bid by interested Bidder for Technical Evaluation purpose on those items he want to participate against in this Tender as per the Schedule of Requirement
- 16. In case of imported stores, the Bidder should submit a scanned and signed copy of the authorization of agency agreement elaborating on the responsibility of foreign supplies/principal and service to the Bidder by the Indian Agent giving details of services available in India.
- 17. Signed and Scanned copies of valid **ISO and BS EN 15020957 CE(European) certifications from competent authority clearly showing validity date in respect of quoted item.**
- **18.** The bidder must provide trainers (one male & one female/shift) for operationalization of gym as specified in the tender document.
- **19.** The prospective Bidder may seek clarification about bidding documents during pre-bid meeting which shall be held on scheduled date and time as specified in the tender document.

Tender ID: AlIMS/JMU/Sports/2024 Dated: 21st December 2024

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

# Schedule of Requirement

#### e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

- 1. The Quantities intimated in this Schedule of Requirement are an approximation of the estimated quantities needed as per the available space of gym at AIIMS, Vijaypur, Jammu.
- 2. The Actual Quantities may vary, on either side i.e. increase or decrease and the decision of the Executive Director & CEO, AIIMS, Vijaypur, Jammu which shall be final and binding to all parties.
- 3. Technically qualified bidders will give physical demonstration of all or certain gym item/equipment, if/as desired by the respective department/committee of AIIMS, for inspection and assess the quality standards as per the specifications of equipment detailed by AIIMS, Vijaypur, Jammu. In case of failure to give physical demo of item/equipment at AIIMS, Vijaypur, on desired date by AIIMS, Vijaypur, Jammu, it will automatically form the grounds for rejection of bid submitted by that bidder. The bidder shall bear the cost of such demonstration.
- 4. Selection shall be purely on a quality and demonstration basis.
- 5. The detailed list of equipment/accessories needed along with the specifications is attached hereunder as Annexure 1.

**List of Requirement with Specifications** 

	Dist of Requirement with Specifications				
S.No.	Product Name	UoM	Minimum Specifications		
1	Treadmill	2 nos.	1) Machine must be designed for running with heavy duty 5 HP motor or more with power Voltage range of 220v-240v/50HZ with electrical safety features 2) Should have low start up speed: 0.8 kmph or lesser 3) Should have incline increments of 1% or lesser 4) Low step height: 7" or lower 5) Speed Range: 0 - 18 kmh or more 6) Motorized Incline: -3 - 30% or more 7) Max User Weight: 180 Kgs or more 8) Feedback to user: LED/LCD console with feedback for Calories, Distance, Time, Speed, Calories per hour, Incline, Heart Rate/pulse 9) Product should have EN-957 or ASTM certification for stationary fitness equipment. 10) Running Surface/Belt: Minimum 1500 x 500 mm or more 11) Machine Weight: 250 kg or more 12) Machine Dimensions: 1750 x 100 x 1750 or more 13) Must have inbuilt cushioning system/shock absorption system 14) Programs: Atleast 10 including heart rate cruise control 15) Safety Features: Must have user presenece detection, pull type safety key stop system and more 16) Running Belt: Maintenance-free belts and reversible deck is required for both side usage of deck 17) Heavy gauge steel welded frame with proper hand rails with soft grips and hand sensors		
2	Cross Trainer/Ellip tical	2 nos.	<ol> <li>Machine have core wheel design for heavy duty commercial use</li> <li>Machine Weight: Atleast 150 kgs</li> <li>Max User Weight: 181 kgs or more</li> </ol>		

			4) Must have atleast 500 w of resistance 5) Stride Length: Atleast 20" or more 6) Should have atleast 10 pre programmed protocols with option for heart rate range control  7) Feedback to user: LED/LCD console with feedback for Programs, Calories, Distance, Time, Speed, Calories per hour, Heart Rate/pulse 8) Machine must be usable for total body, only upper body and only lower body 9) Product should have EN-957 or ASTM certification for stationary fitness equipment. 10) USB Charging Port: Optional 11) Heavy gauge steel welded frame with proper hand rails with soft grips and hand sensors 12) 11) Machine Weight: 150 kg or more 12) Machine Dimensions: 875 x 1700 or more 13) Usable temperature range: 0-40 or more 14) Must have Water Bottle Holder/Accessory Tray/placement rack.mobile holder
			15) Power Requirement : Self generating or minimal consumption for powering
3	Upright Bike	2 nos.	console  1) Must have at least 2500w power range/resistance adjsutable electromagnetically with ±1% accuracy 2) Must have a touchscreen display programmed for time, distance, speed, calories, resistance level, workouts, tests, polar view, and more. 3) Must have fore and aft adjustment for the seat and handle. 4) Must have an auto-responsive gear change mechanism with 0-25% or more gradient change. 5) Must have haptic feedback for manual gear shifters. 6) Must have real-time analysis (at least 1000 times/sec) of at least 35 parameters. 7) Machine Weight: At least 45 kg 8) No of Gears: At least 20 9) Must have Bluetooth, Ant+, FTMS connectivity, internet connectivity and more. 10) Q factor: Max 160mm or lesser. 11) Product should have EN-957 or ASTM certification for stationary fitness equipment. 12) Max user weight: 150 kg or more 13) Machine Dimensions: 1400 x 650 x 1300 mm or more 14) Pedals: Standard Dual sided pedals with remoavable toe cages 15: Handlebars must have adjustment for resistance
4	Rower	1 no.	<ol> <li>Belt driven technology with dual resistance (air and magnetic).</li> <li>Multi Grip Handlebar for imitating boat rowing movement.</li> <li>Contoured seats for more comfort.</li> <li>LCD Display.</li> <li>At least 10 resistance levels</li> <li>Must have adjustable foot strap with quick-release ratchet adjustment</li> <li>Console Feedback: Strokes per minute, watts, distance, time, calories and more.</li> <li>Atleast 55 kg machine weight</li> <li>Product should have EN 957 or ASTM certification for stationary fitness equipment.</li> <li>Magnetic resistance must be adjustable</li> </ol>

12) Max user weight: 150 kg or more 13) Connectivity: Bluetooth & ANT+ 14) Programs: Atleast 5 or more 15) Feedback to user: LED/LCD console with feedback for Programs, Calories, Distance, Time, Speed, watts, Heart Rate/pulse, strokes per minute 16) Comfortable contoured seat: High-profile seat design 40 cm or more 1 Seat should be adjustable and back rest should also be independently reclineable. 2) Resistance Levels - Should be at least 25 with range of Min 30 watts & Max 500 watts or more. 3) Max. User Weight: 180 kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs. 3) Machine composition should have dedicated bays for 3 cable towers and 1 late pull down and low row. 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 7) Pulley System : Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment and calif roller adjustment with spring release 1 no. 5) Weight stack tower must be fully covered 6) Product should have EN-957 or ASTM certification for stationary fitness equipment 7) Pulley System : Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have a magnetic weight selection system 4) Atleast 5 levels of gas as stricted upholstery for long life 3) Must have a magnetic weight selec				11) Machina Dimencions : 2200 y 600 y 1150 mm or more
13) Connectivity: Bluetooth & ANTH 14) Programs : Atleast 6 or more 15) Feedback to user: LED/LCD console with feedback for Programs, Calories, Distance, Time, Speed, watts, Heart Rate/pluse,strokes per minure 16) Comfortable contoured Seat : High-profile seat design 40 cm or more 1) Seat should be adjustable and back rest should also be independently reclineable. 2) Resistance Levels- Should be at least 25 with range of Min 30 watts & Max 500 watts or more. 3) Max. User Weight: 180 Kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 2) Multinum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN-957 or ASTM certification for stationary fitness equipment. 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have unbed stabilizer feet designed for floor anchoring 1) Heast of the product should have EN-957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 9) Weight stack tower must be fully covered 6) Product should have EN-957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have a magnetic weight selection system				11) Machine Dimensions: 2300 x 600 x 1150 mm or more
14) Programs: Atleast 6 or more 15) Feedback to user: LED/LCD console with feedback for Programs, Calories, Distance, Time, Speed, watts, Heart Rate/pulse,strokes per minute 16) Comfortable contoured seat: High-profile seat design 40 cm or more 11) Seat should be adjustable and back rest should also be independently reclineable. 2) Resistance Levels- Should be adjustable and back rest should also be independently reclineable. 3) Max. User Weight: 180 Kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for helight and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 9) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equ				
15) Feedback to user. LED/LCD console with feedback for Programs, Calories, Distance, Time, Speed, watts, Heart Rate/pulse, strokes per minute 16) Comfortable contoured seat : High-profile seat design 40 cm or more 19 Seat should be adjustable and back rest should also be independently reclineable. 2) Resistance Levels- Should be at least 25 with range of Min 30 watts & Max 500 watts or more. 3) Max. User Weight: 180 Kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 4) Atleast 5 levels of gas assisted seat adjustment 5) Product should have EN-957 or ASTM certification for stationary fitness equipment 7) Pulley System : Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have a magnetic weight selection system 6. Weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have a magnetic weight selection system 6. Weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have a ubmer stabilizer feet designed for floor anchoring 10 Heavy duty 11 gauge structure wi				
Distance, Time, Speed, watts, Heart Rate/pulse, strokes per minute 16) Comfortable contoured seat : High-profile seat design 40 cm or more 11) Seat should be adjustable and back rest should also be independently reclineable. 2) Resistance Levels- Should be at least 25 with range of Min 30 watts & Max 500 watts or more. 3) Max. User Weight: 180 Kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2 kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat a dijustment 5) Weight stack tower must be fully covered 6) Product should have EN-957 or ASTM certification for stationary fitness equipment 7) Pulley System : Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have cubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 1 no. 8 Must have rubber stabilizer feet designed for floor anchoring 3 Must have a magnetic weight selection system 6 floor anchoring 1 Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have cubber stabilizer feet designed for floor anchoring 1 Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight statek tower must				, ,
16) Comfortable contoured seat : High-profile seat design 40 cm or more  1) Seat should be adjustable and back rest should also be independently reclineable. 2) Resistance levels- Should be at least 25 with range of Min 30 watts & Max 50 watts or more. 3) Max. User Weight: 180 kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs with the same time 2) Minimum 5 weight stack seach weighing at least 100 kgs weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a double stitched upholstery for long life 3) Must have weight stack system of 2kg and 4 kg or more 4) Atleast 5 levels of gas assisted seat adjustment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have ubber stablizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have uber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight election system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment a				
1) Seat should be adjustable and back rest should also be independently reclineable.   2) Resistance Levels- Should be at least 25 with range of Min 30 watts & Max 500 watts or more.   3) Max. User Weight: 180 Kgs. or more.   4) Telemetry: Hand Sensor and Chest belt compatibility.   5) Product should have EN-957 or ASTM certification for stationary fitness equipment.   1) Multi use unit with provision for atleast 6 people to work out at the same time   2) Minimum 5 weight stacks each weighing atleast 100 kgs   3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row   4) Atleast 20 options for height and position adjustment on cable towers   5) Product should have EN-957 or ASTM certification for stationary fitness equipment.   1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more   2) Must have a magnetic weight selection system   4) Atleast 5 levels of 5 gas assisted seat adjustment   5) Weight stack tower must be fully covered   6) Product should have EN 957 or ASTM certification for stationary fitness equipment   7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution   8) Must have rubber stabilizer feet designed for floor anchoring   1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more   2) Must have a magnetic weight selection system   1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more   2) Must have a magnetic weight selection system   1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more   2) Must have double stitched upholstery for long life   3) Must have rubber stabilizer feet designed for floor anchoring   3) Must have rubber stabilizer feet designed for floor anchoring   3) Must have ubbels sta				
Product should have EN-957 or ASTM certification for stationary fitness equipment   1 no.   1 no.   2   1 no.   2   1 no.   3   1 no.   3   1 no.   4   1 no.   4   1 no.   5   1 no.   5   1 no.   5   1 no.   5   1 no.   6   1 no.   6   1 no.   6   1 no.   7   1 no.				
2) Resistance Levels- Should be at least 25 with range of Min 30 watts & Max 500 watts or more. 3) Max. User Weight: 180 Kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Max-liner composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 9 Leg extension 1 no. 2) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have urbules tabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system				
SO watts or more.  3) Max. User Weight: 180 Kgs. or more.  4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 polions for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2 kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have pubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2 kg and 4 kg or more 2) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 1 no. 2) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pull				
Seated Leg curl  Seated Leg curl  Leg curl  Seated Leg curl  Leg curl  Seated Leg curl  Leg extension  Leg extension  Seated Leg curl  Leg extension  Leg extension  Seated Seated Leg curl  Leg extension  Leg extension  Leg extension  Seated Leg curl  Leg extension  Seated Leg curl  S				2) Resistance Levels- Should be at least 25 with range of Min 30 watts & Max
Bike  3) Max. User Weight: 180 Kgs. or more. 4) Telemetry: Hand Sensor and Chest belt compatibility. 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack syste	5	Recumbent	1 no	
Solution	J	Bike	1110.	3) Max. User Weight: 180 Kgs. or more.
CABLE CROSSOVER MULTIUSE UNIT  1 no. UNIT  1 no.  1 Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN-957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN-957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight sack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 2) Must have a magnetic weight selection system 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with sp				4) Telemetry: Hand Sensor and Chest belt compatibility.
1) Multi use unit with provision for atleast 6 people to work out at the same time 2) Minimum 5 weight stacks each weighing atleast 100 kgs 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have an about a distribution 8) Must have a weight selection system 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				5) Product should have EN-957 or ASTM certification for stationary fitness
time CROSSOVER MULTIUSE UNIT  1 no. 3   Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4   Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1   Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release  9				equipment.
time CROSSOVER MULTIUSE UNIT  1 no. 3   Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4   Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1   Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2   Must have double stitched upholstery for long life 3   Must have a magnetic weight selection system 4   Atleast 5 levels of gas assisted seat adjustment 5   Weight stack tower must be fully covered 6   Product should have EN 957 or ASTM certification for stationary fitness equipment 7   Pulley System : Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8   Must have rubber stabilizer feet designed for floor anchoring 1   Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2   Must have a double stitched upholstery for long life 3   Must have a magnetic weight selection system 4   Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5   Weight stack tower must be fully covered 6   Product should have EN 957 or ASTM certification for stationary fitness equipment 7   Pulley System : Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8   Must have a magnetic weight selection system 1   Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2   Must have a magnetic weight selection system 3   Must have a magnetic weight selection system 4   Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				1) Multi use unit with provision for atleast 6 people to work out at the same
6 CROSSOVER MULTIUSE UNIT 1 no. 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				time
6 CROSSOVER MULTIUSE UNIT 1 no. 3) Machine composition should have dedicated bays for 3 cable towers and 1 lat pull down and low row 4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release		CABLE		2) Minimum 5 weight stacks each weighing atleast 100 kgs
MULTIUSE UNIT    Seeted Leg curl   1 no.   Seeted Leg curl   1 no.   Leg up   1 no.   Leg extension   2   1 no.   Leg extension   2   1 no.   Leg extension   1 no.   Leg extension   2   2   2   2   2   2   2   2   2			_	
4) Atleast 20 options for height and position adjustment on cable towers 5) Product should have EN-957 or ASTM certification for stationary fitness equipment. 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have double stitched upholstery for long life 3) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release	6		1 no.	
5) Product should have EN-957 or ASTM certification for stationary fitness equipment.  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				· ·
equipment.  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release		ONT		
1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				·
incremental weight stack system of 2kg and 4 kg or more  2) Must have double stitched upholstery for long life  3) Must have a magnetic weight selection system  4) Atleast 5 levels of gas assisted seat adjustment  5) Weight stack tower must be fully covered  6) Product should have EN 957 or ASTM certification for stationary fitness equipment  7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution  8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more  2) Must have double stitched upholstery for long life  3) Must have a magnetic weight selection system  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release  5) Weight stack tower must be fully covered  6) Product should have EN 957 or ASTM certification for stationary fitness equipment  7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution  8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more  2) Must have double stitched upholstery for long life  3) Must have a magnetic weight selection system  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
3) Must have a magnetic weight selection system 4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
4) Atleast 5 levels of gas assisted seat adjustment 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release		Chest press		· · · · · · · · · · · · · · · · · · ·
7 Chest press   1 no.   5) Weight stack tower must be fully covered   6) Product should have EN 957 or ASTM certification for stationary fitness equipment   7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution   8) Must have rubber stabilizer feet designed for floor anchoring   1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more   2) Must have double stitched upholstery for long life   3) Must have a magnetic weight selection system   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   5) Weight stack tower must be fully covered   6) Product should have EN 957 or ASTM certification for stationary fitness equipment   7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution   8) Must have rubber stabilizer feet designed for floor anchoring   1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more   2) Must have double stitched upholstery for long life   3) Must have a magnetic weight selection system   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release   4) Atleast 5 levels of start point adjustme				
6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release	_			
equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release	/		1 no.	, · · · · ·
7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				· ·
tensile strength and balanced weight distribution  8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				· ·
8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
Seated Leg curl  1 no.  Seated Leg curl  1 no.  Seated Leg curl  1 no.  1 no.  Seated Leg curl  1 no.  1 no.  1 no.  Seated Leg curl  1 no.  1				
Seated Leg curl  1 no.  Seated Leg curl				
Seated Leg curl  1 no.  1 no.  Seated Leg curl  1 no.  1 no.  1 no.  Seated Leg curl  1 no.  2 leg extension  1 no.  1 no.  2 leg extension  1 no.  3 Must have a magnetic weight selection system  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release  3 Must have a magnetic weight selection system  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
Seated Leg curl  1 no.  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				· · · · · · · · · · · · · · · · · · ·
Seated Leg curl  1 no.  Seated Leg curl  1 no.  Spring release 5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
S) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
5) Weight stack tower must be fully covered 6) Product should have EN 957 or ASTM certification for stationary fitness equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release	8	Seated Leg	d Leg	, -
equipment 7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release		curl	1110.	,
7) Pulley System: Must operate on flat pulleys with kevlar belt for higher tensile strength and balanced weight distribution 8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				6) Product should have EN 957 or ASTM certification for stationary fitness
tensile strength and balanced weight distribution  8) Must have rubber stabilizer feet designed for floor anchoring  1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more  2) Must have double stitched upholstery for long life  3) Must have a magnetic weight selection system  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				equipment
8) Must have rubber stabilizer feet designed for floor anchoring 1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				7) Pulley System: Must operate on flat pulleys with kevlar belt for higher
1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with incremental weight stack system of 2kg and 4 kg or more 2) Must have double stitched upholstery for long life 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				tensile strength and balanced weight distribution
1 no.  Leg extension  1 no.  Leg extension  1 no.  incremental weight stack system of 2kg and 4 kg or more  2) Must have double stitched upholstery for long life  3) Must have a magnetic weight selection system  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				8) Must have rubber stabilizer feet designed for floor anchoring
1 no.  Leg extension  1 no.  Leg extension  1 no.  incremental weight stack system of 2kg and 4 kg or more  2) Must have double stitched upholstery for long life  3) Must have a magnetic weight selection system  4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with
9 extension 1 no. 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release				
9 extension 1 no. 3) Must have a magnetic weight selection system 4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release		_		2) Must have double stitched upholstery for long life
4) Atleast 5 levels of start point adjustment and calf roller adjustment with spring release	9		- I I no	· · · · · · · · · · · · · · · · · · ·
spring release				
o, it digite state to their induction to their dovered				5) Weight stack tower must be fully covered

			6) Product should have EN 957 or ASTM certification for stationary fitness
			equipment
			7) Pulley System : Must operate on flat pulleys with kevlar belt for higher
			tensile strength and balanced weight distribution
			8) Must have rubber stabilizer feet designed for floor anchoring
			1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with
			incremental weight stack system of 2kg and 4 kg or more
			2) Must have double stitched upholstery for long life
			3) Must have a magnetic weight selection system
	5 (1 5		4) Atleast 5 levels of gas assisted seat adjustment with spring release
10	Pec fly Rear	1 no.	5) Weight stack tower must be fully covered
	Deltoid		6) Product should have EN 957 or ASTM certification for stationary fitness
			equipment
			7) Pulley System: Must operate on flat pulleys with kevlar belt for higher
			tensile strength and balanced weight distribution
			8) Must have rubber stabilizer feet designed for floor anchoring
			1) Heavy duty 11 gauge structure with atleast 100 kg weight stack with
			incremental weight stack system of 2kg and 4 kg or more
			2) Must have double stitched upholstery for long life
			3) Must have a magnetic weight selection system
			4) Atleast 5 levels of gas assisted seat adjustment with spring release
11	Shoulder	1 no.	5) Weight stack tower must be fully covered
	press		6) Product should have EN 957 or ASTM certification for stationary fitness
			equipment
			7) Pulley System : Must operate on flat pulleys with kevlar belt for higher
			tensile strength and balanced weight distribution
			8) Must have rubber stabilizer feet designed for floor anchoring
	Leg Press		1.Must have adjustable Back rest.
			2.Must have Adjustable foot plates.
			3. Must Have atleast 4 Horns for storing weight plates.
			4.Antiskid Hand Grips on seat and Foot Plate.
12		1	5.Machine weight : 235 kg or more.
12		1 no.	6.Product should have EN-957 or ASTM certification for stationary fitness
			equipment.
			7) Heavy duty 11 gauge structure, Frame Finish: Two-coat powder process,
			electrostatically applied powder coat finish
			Upholstery: high density foam
			1) Should have adjustable handles that slide in and out for different grip widths.
			2) Should have self-spotting mechanism for concentric and eccentric
			movement.
			3) Bar should be counter balanced for standard Olympic weight.
			4) Should have brake handles for racking and unracking the bar.
			5) Bar should have 360° plane of motion.
			6) Frame should be made of heavy duty pipe.
13	Smith	1 nc	7) Product should have EN-957 or ASTM certification for stationary fitness
	machine	1 no.	equipment.
			8) The weight of the machine should be minimum 770 lbs.
			9) Omni- directional: barbell to move in any direction allowing allowing vertical,
			horizontal, diagonal, lateral and rotational bar motion.
			10) Must have Quad-lock breaking system, immediately catches and stops the
			bar in any position.
			11) Heavy duty 11 gauge structure, Frame Finish: Two-coat powder process,
	<u> </u>		electrostatically applied powder coat finish

14	4 Way Olympic Bench	1 no.	1) Multiuse bench with incline, decline and flat and shoulder press options 2) Easy slide option for seat adjustments 3) Machine must weigh 100 kgs or more 4) Must have inbuilt rod rack/saftey latches for atleast 5 positions 4) Product should have EN-957 or ASTM certification for stationary fitness equipment. 5) Heavy duty 11 gauge structure, Frame Finish: Two-coat powder process, electrostatically applied powder coat finish Upholstery: high density foam Handgrips: Dipped PVC Handle
15	Utility Stool	2 nos.	<ol> <li>Tripod frame design provides greater stability.</li> <li>Machine Weight: Minimum 20 kgs</li> <li>Machine mainframe should be built on stable bent pipe structure.</li> <li>Product should have EN 957 or ASTM certification for stationary fitness equipment.</li> <li>Heavy duty 11 gauge structure, Frame Finish: Two-coat powder process, electrostatically applied powder coat finish         Upholstery: high density foam         Handgrips: Dipped PVC Handle     </li> </ol>
16	Preacher Curl Bench	2 nos.	<ol> <li>Adjustable Seat Height.</li> <li>Seat angled at 45 for bicep curl.</li> <li>Machine must weigh atleast 40 kgs or more.</li> <li>Product should have EN-957 or ASTM certification for stationary fitness equipment.</li> <li>Heavy duty 11 gauge structure, Frame Finish: Two-coat powder process, electrostatically applied powder coat finish         Upholstery: high density foam         Handgrips: Dipped PVC Handle     </li> </ol>
17	10 Pair Dumbbell Rack	2 nos.	<ol> <li>Angled for easy pick up and replacement of dumbbells.</li> <li>Atleast 2 tiers for multiple sets of round-style dumbbells</li> <li>Product should have EN-957 or ASTM certification for stationary fitness equipment.</li> <li>Heavy duty 11 gauge structure</li> </ol>
18	Adjustable Bench	2 nos.	<ol> <li>Multiuse bench with incline, decline and flat options</li> <li>Must have atleast 5 levels of seat adjustment</li> <li>Machine must weigh 35 kgs or more</li> <li>Product should have EN-957 or ASTM certification for stationary fitness equipment.</li> <li>Heavy duty 11 gauge structure, Frame Finish: Two-coat powder process, electrostatically applied powder coat finish</li> <li>Upholstery: high density foam</li> <li>Handgrips: Dipped PVC Handle</li> </ol>
19	Abdominal Bench	1 no.	<ol> <li>Adjustable bench which can be used for ab crunch.</li> <li>Rollaway wheels for easy movement.</li> <li>Machine weight: 35 kg or more.</li> <li>Product should have EN-957 or ASTM certification for stationary fitness equipment / Any other standard guidelines.</li> <li>Heavy duty 11 gauge structure, Frame Finish: Two-coat powder process, electrostatically applied powder coat finish</li> <li>Upholstery: high density foam</li> <li>Handgrips: Dipped PVC Handle</li> </ol>
20	Flat bench	1 no.	Tripod Style design for stability     Hard foam seats for stable exercise positions

			Machine must weigh atleast 25 kgs or more     Product should have EN-957 or ASTM certification for stationary fitness
			equipment.
			5) Heavy duty 11 gauge structure
			1. ISPL grade 30 MM Round Bar
	Olympianad		2. Bearing type ends (not bushing)
21	Olympic rod	1 no.	3. Dimensions - Diameter for inner rod - 1.1" & for ends - 2"
	set		4. Knurling on grip 5) Set of rods - Power Bar (3), olympic bar (2) - 15kg, and (2) - 10 kg, bicep curl
			rod(1)
			1) Premium Quality round rubber plates
22	District	4	2) Must have tri grip
22	Plate set	1 no.	3) 600 kgs of Rubber plates - 2.5kg x 8, 5kg x 8, 7.5kg x 6, 10kg x 6, 12.5kg x 6,
			15kg x 6, 20kg x 6, 25kg x 6
			1) Premium Quality round rubber dumbbells
23	Dumbbell	1 no.	2) Must have soft knurling
-5	set		3) 500 kgs - 2.5kg x 8, 5kg x 6, 7.5kg x 6, 10kg x 6, 12.5kg x 6, 15kg x 6, 20kg x 4,
			25kg x 4
			<ol> <li>Should have provisions for holding atleat 9 rods at a time</li> <li>Structure should be powder coated.</li> </ol>
			3) With minimum 16 gauge pipe to be use in total construction.
24	Rod Stand	1 no.	4) Weight should be 16 kgs.
			5) Product should have EN-957 or ASTM certification for stationary fitness
			equipment.
			1) Low foot print area
			2) Atleast 8 weight holding horns with min. 1 tonne capacity
25	Plate tree	1 no.	3) Machine Weight: Minimum 50 kgs made with minimum 90 x 45 oval pipe of 3
23	i idee ti ee	1110.	mm thickness or more
			4) Product should have EN 957 or ASTM certification for stationary fitness
			equipment Commercial grade Kit should include a
			Commercial grade Kit should include: - 1 Full set of Wall Balls: 1 each of - 4lbs, 8lbs, 6lbs, 10lbs, 12lbs, 16lbs, 20lbs,
			24lbs, 30lbs
			- 1 Set of Gymnastic Wood Rings - 8ft
			- Agility Cones 6 inch - 6
	A 000000 :::		- Agility Cones 15 inch - 6
26	Accessories Kit	1 no.	- Agility Ladder 7 meters length - 1
	NIL		- Resistance Bands 2 Set - 1 set contains each of L, M, H
			- Resistance Loops 1 set - 1 set containers each of L, M, H
			- Gym Balls 1 each : 65 cm, 75 cm
			- Yoga Mats 4mm - 10 nos
			- Balance Ball half Dome - Foam Roller - 4
			1. Features: Heavy Duty Commercial Equipment.
	Double		2. Seating and standing design.
27	Twister	1 no.	3. Dimension (LxWxH): Atleat 1400 x 590 x 1150 mm.
	Machine	-	4. Material: High quality Steel
			5. Finish: Powder-coated Paint
			1) Machine Weight: Min. 60 kgs.
28	Seated Calf	1 no.	2) Kneepads should be adjustable.
		1	3) Product should have EN-957 or ASTM certification for stationary fitness
20	Francisco I	4	equipment
29	Functional	1 no.	1) Should provide stretch to below mentioned muscle groups:

	Training and		lower back, hamstrings, gluteal/hips, hips/legs/back, inner thighs/groin, upper
	Flexibility		back, shoulders and quadriceps.
	Equipment		2) Instructional placard should clearly display how these stretches are to be
			performed
			3) Product should have EN-957 or ASTM certification for stationary fitness
			equipment
			Multi-textured surface provides targeted grip with cushioned comfort.
			Ribbed side panels deliver maximum traction on the outermost edges.
30	Steps	4 nos.	Rubberised ground contact points prevent slipping and absorbs impact.
			Easy to clean, moisture resistant workout surface.
			Compact, lightweight and easy to move and store.
31	Mirrors	480 sq. ft.	Providing and fixing of 6 mm mirror with ss studs
	_		1) Printed Foam sheet display board (900mm x 1200mm).
32	Poster	320 sq. ft.	2) Fixing of display boards with SS studs as per design and details.
			3) Content of fitness posters to be approved prior to installation.
		_	Floor standing rack for atleast 25 towels
33	Towel Rack	1 no.	Mulitple partitions for easy stacking
			Connected bin for soiled towel collection
			Portable Kit including atleast :
			2 absorbent dressings
	First Aid Kit		5 adhesive bandages (assorted sizes),
	- Essential		1 adhesive cloth tape
34	for any	2 no.	1 antibiotic ointment
	fitness		2 packets of aspirin (81 mg each)
	facility.		2 pair of nonlatex gloves (size: large) 1 gauze roll (roller) bandage
			1 roller bandage (4 inches wide)
			5 sterile gauze pads
	Accessories		1) Material - MS
35	Storage	1 no.	2) Should be able to hold atleast 12 Yoga Mats (rolled), 3 Swiss Balls, 3
	Rack	2	Medicine Balls and 3 Resistance Bands
	Plybo Box	_	
36	Set	1 no.	6", 12", 18" & 24" (01 each) (Layered wood construction).
			1. Heavy load capacity sturdy frame.
			2. A wide forearm rest pad allows a comfortable & effective workout
			3. Powder coating finish
37	Wrist Curl	1 no.	4. Rubber grip handles
3/	vviist cuii	± 110.	5. Weight stack with magnetic pull pins
			6. Free movement handle for ease of wrist movement
			7. Dimensions (L x W x H) : 24" x 24" x 40" or more
		00.37	8. Product Weight: 60 Kg / 132 lbs or more
	Active	08 Nos.	System Type Self Powered 10"/8", Two-Way, Bass-Reflex
	Speakers		Max SPL Output > 120dB
20	with Wall		Freq. Range (-10dB) 52 Hz -20kHz
38	Mountings		Freq. Response (±3dB) 60 Hz-20kHz
			Coverage Pattern 110° x 60° Amplifier Design Class D
			Power Rating 1000W Peak
	Subwoofer	04 Nos	12" driver,>= 400W power (Class D driver)
	with Case	04 1108	Frequency Range Approx. 25 -200 Hz
39	with case		Nominal Impedance = 8 ohms
			Max SPL >=84dB
40	6-Input	02 Nos	Input Sensitivity –60dBm to –40dBm
L		I	,

	Mixer with		Nominal Input Level
	Bluetooth		MIC (-60dBm)
	and USB		Line (-40dBm)
	Capability		Effect (-10dB)
	,		AUX In (-20dB)
			Tape in (-10dB)
			Nominal Output Level
			Effect Send (-10dBm)
			Aux Send (OdBm)
			Frequency Response
			20Hz-20kHz (±3db)
			Total Harmonic Distortion
			<0.03%
			Signal to Noise Ratio >85dB
			Clip Indication
			4dB prior to true clip
			,
			Equalization (Treble/Mid/Bass)
			±15dB @12kHz/2.5kHz/80Hz
			EFX – Delay with repeat
		00.11	Power Supply – AC240V/ 50Hz
	Powered	02 Nos	Frequency Response (at 1 Watt) 20Hz -20kHz +0/-1dB.
	Amplifier at		Total Harmonic Distortion (THD) <0.5%, 20 Hz-20kHz
	8ohms,		Intermodulation Distortion (IMD) =/<0.35%
	500W mono		Slew Rate > 10V/us
41			Voltage Gain 30dB.
			Damping Factor (8ohms) > 200.
			Signal to Noise Ratio > 100dB
			Crosstalk (below rated power) 20kHz =-59db 1kHz =-75dB.
			Input Sensitivity for Full Rated Power at 80hms 0.775V
	16A WG	500 Ft	Two Core Speaker Cable.
	Speaker		16A WG Stranded 19x29 tinned copper conductors
	Cable		Insulation Material : PVC
42			Outer Jacket : PVC
			Inner/ Outer Shield : Unshielded
			Min Bend Radius: 130mm
			Nom Capacitance (pF/m): 109
	Wireless	01 Nos.	Beltpack Transmitter:
	Lapel		On/Off Button
	Microphone		Polar Pattern: Omnidirection
			Frequency Response: 100Hz – 15kHz
			Dynamic range min 100 dB or better
			Detachable Belt Clip
43			Operating time min 9 hrs.
			Receiver
			Attached wireless antenna
			Min. 8 Switchable Channels
			Channel selector switch
			Switch to select vocal or speech
			Frequency response : 110 Hz -15 kHz
			Dynamic range min 110 dB or better
	43" Display	03 Nos	Size 43 Inches
44	with LAN		Brightness 350 nits or better
	Port & Wi-Fi		Resolution (Pixels) 1920x1080 or Better

	Compatibilit	Contrast Ratio 1300:1 or better
	У	Dynamic CR5,00,000:1
		Surface Treatmenthard Coating (3H), Anti Glare Treatment Viewing

# **General Specification**

- 1. All products should be Heavy commercial.
- 2. All machines must be made on bio-mechanical principles to perform natural movements.
- 3. High-quality powder coating finish.
- 4. High-quality continuous welded, factory-assembled weight frame and sandblasted moldings for all square/oval/circular pipe bends used.
- 5. All equipment of quality material and fittings.
- 6. Adjustable seats with high-density and quality upholstery. Non-magnetic steel handles with rubber coat finish of handles with various grip provisions (close & wide) with non-slip texture.
- 7. High-quality pulleys made of high-quality synthetic fiber.
- 8. High-quality cables/wires or belts for pulleys.
- 9. Quick ratcheting seat and lever adjustment system to take minimum time for adjustment.
- 10. Adequate damping system for weight stack suspension with quality weight stack pins / switch, etc.
- 11. Provision of variable increment weight stack suspension with quality weight stacks pins / switch, etc.
- 12. Shrouded weight stack guards and pulley covers to protect from accidents.
- 13. Smooth operational machines with high precision transmission system and weight stack assembly which reduces friction (rubber bumpers under each weight stack).
- 14. High degree adjustable mechanism which allows for easy adjustment for users.
- 15. Machines should be based on cam/pulley/lever system as per requirement of the exercise equipment.
- 16. Provision to perform at various ranges of motion/ angles fitting all user sizes.
- 17. Standard rubber feet to protect the frame from slipping and other damage.
- 18. The gym should have an RFID-enabled entrance at two places. The Bidder should bear the cost of the same and should be included in the total bid cost.
- 19. There should be two dedicated Gym Trainers (One Male & One Female). The wages/ remuneration as per the minimum wages act applicable under the labour law shall be borne by the bidder for a period of two years. The work timing and schedule will be decided by the Competent authority.
- 20. The length of the gym is 23.52 meters and 8.82 meters in width, with a total area of 207.44 sq.mtr.

#### Signature of Bidder (Name of Bidder)

With seal of firm
Place
Date/

Tender ID: AlIMS/JMU/Sports/2024/01 Dated: 21st December 2024

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

# **UNDERTAKING**

(for compliance of all terms & conditions mentioned in this tender document) (To be executed on Rs. 500/-Non-judicial Stamp Paper duly attested by Public Notary)

e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

To,

The Executive Director & CEO, AIIMS, Vijaypur, Jammu-184120 (J&K), India

- 1. I/We, the undersigned, hereby submit my /our tender for the Registration of firm /company for setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu as per the terms and conditions of the tender document.
- 2. I/We undertake that once the tender is decided, the Performance Security @ 10% of the Contract value will be furnished by the undersigned/ Approved Firm within the 15 Days time to AIIMS, Vijaypur, Jammu by the way of FDR or Performance Bank Guarantee, valid for the period of 26 months from the date of issuance of LOI(Letter of Intent) in favor of "The Executive Director & CEO, AIIMS, Vijaypur, Jammu, payable at Jammu and AIIMS, Vijaypur, Jammu will not pay any interest against our Performance Security Deposit.
- 3. I/We have noted that over written entries shall be deleted unless duly cut, re-written, initialled, duly signed and sealed (No thumb impression should be affixed).
- 4. I/ we certify that I / we have gone through and agree to the terms & conditions mentioned herein and undertake to comply with them for the contract period (Comprehensive Warranty for a period of two years from the date of signing of the agreement deed, thereafter, CMC for a period of three years).
- 5. I/we, the undersigned, hereby bind myself /ourselves to supply the items/equipments to Director, AIIMS, and Vijaypur, Jammu during the validity of this contract.
- 6. The decision of The Executive Director & CEO, AIIMS Vijaypur, Jammu or his nominee as regards the quality and kind of the articles supplied by our firm shall be final and binding on me. In case, our supplies are found to be of inferior quality, AIIMS, Vijaypur, Jammu reserves the right to get replacement on free of cost or destroy the same if we will fail to replacement and our firms is repeating same mistake in three times will be removed from the list of the vendors at AIIMS, Vijaypur, Jammu and debar our firm for future AIIMS, Vijaypur, Jammu Tenders participation for three years period. I/we agree that in case of failure to supply the material within the stipulated date of delivery in Purchase order. AIIMS, Vijaypur, Jammu reserves the right to arrange the same from the market/other source at my/our risk and cost. This will be recovered from the pending bill of us and even from performance security deposit already submitted by us.
- 7. I/ we shall provide the demo/sample of the items quoted as and when required and in case I/ we fail to do so, the Institute can forfeit the earnest money deposited by me/ us, and my/our quotations may not be considered for this tender.
- 8. The articles shall be of the best quality and of the kind per the institution's requirement. The decision of the Director, AIIMS, Vijaypur, Jammu, India (hereinafter called the said officer) as regards the quality and kind of article shall be final and binding on me. I/we certify to change any article on being found of inferior quality, it shall be replaced by me/us free of cost within 15 days to prevent inconvenience.

- 9. I/We undertake to respect the Anti-Profiteering Rule under the GST Act 2017 of Govt. of India. I will mandatorily pass on the benefit due to the reduction in the rate of tax to the AIIMS, Vijaypur, Jammu, by way of commensurate reduction in our prices. And if I/we are found to be a defaulter for following the above-mentioned rule (i.e. passing all the benefits of GST Tax Regime price reductions to AIIMS, Vijaypur, Jammu), the AIIMS, Vijaypur, Jammu shall have the right to initiate necessary action as deemed fit as per GST Act 2017 against our firm.
- 10. I/ we shall execute an agreement on Non-judicial Stamp paper of Rs.500/-(Rupees Five Hundred only) in case my/our tender is accepted and an agreement will be executed by me within 15 days of the intimation of acceptance of Rates for the tender failing which, my/ our EMD/Security Deposit will be forfeited and firm's name will be removed from the list of vendors at the AIIMS, Vijaypur, Jammu.
- 11. The undersigned certifies that I have gone through the terms and conditions mentioned in the tender document and undertake to comply with them. I have no objection to any of the content of the tender document, and I undertake not to submit any complaint/ representation against the tender document after the submission date and time of the tender. The rates quoted by me/us are valid and binding on me/us for acceptance till the validity of the tender.
- 12. I/We undersigned hereby bind myself/ourselves to ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120 (J&K) INDIA to supply the approved awarded items/services in the approved rates to AIIMS Vijaypur, Jammu, during the Contract period under this contract.
- 13. I/We hereby undertake to supply the items during the validity of the tender as per directions given in the supply order/LOI within the stipulated period. If I/We fail to supply the stores/execute the work in the stipulated period, AIIMS, Vijaypur, Jammu, has full power to compound or forfeit the Performance Security deposit.
- 14. I/We declare that no legal/financial irregularities are pending against the proprietor/partner of the tendering firm or manufacturer.
- 15. I/We undertake that the rates quoted by me/us when approved and selected by the Executive Director, AIIMS, Vijaypur, Jammu, will be valid for **two years from the date of approval of the contract in the format given in Annexure-5** or till extended as mutually agreed upon similar terms and conditions. I undertake to supply/provide the item/services as per the time given in the supply order/LOI issued.
- 16. I/We undertake that if the rates of any items are lowered due to any reason, I will charge the lower rates.
- 17. I/We undertake that the items supplied are as per the sample/catalogue/technical literature description.
- 18. I/We undertake that the quoted rates are not higher than those approved by any other Government institutions in India for the same items during the current financial year.
- 19. An affidavit regarding No CBI inquiry/FEMA/Criminal proceeding/Black listing is pending or going on against the manufacturer/Bidder firm is also enclosed. I undertake that I will not submit any irrelevant documents with the tender, and in doing so, I will not have any objection if my tender is rejected on that ground.
- 20. I/we do hereby confirm that the prices/rates quoted are fixed and are at par with the prices quoted by me/us to any other INIs/Govt. of India/Govt. Hospitals/Medical Institutions/PSUs. I/we also offer to supply the stores at prices and rates that do not exceed those mentioned in the price bid.
- 21. I/we also declare that in case of a change of Indian Agent or for any other change, dissolution solvency, etc., in the organization, we would take care of the smooth supplies and have provided written confirmation for the same.

#### Signature of Bidder (Name of Bidder)

With seal of firm
Place
Date//

Dated: 21st December 2024

Tender ID: AIIMS/JMU/Sports/2024/01

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

#### **Affirmation**

#### e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

I/We pledge and solemnly affirm that the information submitted in the Tender Bid documents is true to the best of my/our knowledge and belief. I/We further pledge and solemnly affirm that nothing has been concealed by me/us, and if anything adverse comes to the notice of the purchaser during the validity of the Contract period on approved items awarded to us for supply to AIIMS, Vijaypur, Jammu against this Tender Enquiry, the Executive Director & CEO, All India Institute of Medical Sciences, Vijaypur, Jammu (India) will have full authority to take appropriate action deemed fit against our firm.

I/We hereby declare that our quoted prices against this Tender Enquiry are not higher than prices offered by us to any other INIs/Govt. Institutions/Other Institutions as per prevailing market prices, and we are liable for passing all the benefits of GST in terms of cost reduction on account of various tax factors to AIIMS, Vijaypur, Jammu, as per the provisions of GST Act 2017. If any time AIIMS, Vijaypur, Jammu gets the information that we have supplied items at higher prices in comparison to other institutes/parties on the basis of prevailing applicable prices; we are undertaking that we are liable for refunding and depositing back such difference amount to AIIMS, Vijaypur, Jammu from our side without any question.

We also undertake that the Department of Commerce or Ministry/any other Department has not debarred/blacklisted our firm as to the best of our knowledge. If any such debarment/blacklisting comes to the notice of AIIMS, Vijaypur, Jammu Authorities during the execution of Supplies against this Tender Enquiry, AIIMS, Vijaypur, Jammu, have the right to reject our proposal and take appropriate action as deemed fit against our firm as per prevailing applicable Rules & Regulations.

Signature of Bidder (Name of Bidder)

With seal of firm
Place
Date//

Affirmation/Verification

Dated: 21st December 2024

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

# **CRIMINAL LIABILITY UNDERTAKING**

(To be executed on Rs.500/-Non-judicial Stamp Paper duly attested by Public Notary)

e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

[S/o	
Resident of	•••
solemnly pledge and affirm: -	Do
1. That I am the proprietor /partner/authorized signatory of	
M/s	
That my firm has not been declared defaulter by any Govt. Agency and that NO case of any nat CBI/FEMA/Criminal/Income Tax/GST Blacklisting is pending against myfirm.	ure i.e
Name & Signature	
Seal of the participating Bidder Company	

Tender ID: AlIMS/JMU/Sports/2024/01 Dated: 21st December 2024

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

#### **TECHNICAL BID DOCUMENTS**

(MANDATORY DOCUMENTS NEED TO BE SUBMITTED IN TENDER BOX)

e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

(Submitted in Tender Box duly signed, stamped and scanned copy of following Technical Bid Documents including Pre-Qualification Check List in Technical Bid Document of Tendering Solution)

# **CHECKLIST**

(Tick mark in applicable column)

S. No.	Name of document's legible scanned copies required to be submitted*	Yes	No	Page no.	Remarks	
1.	Scanned copy of list of the items with its make, model & country of origin without indicating prices in Technical bid by interested Bidder for Technical Evaluation purpose as per the Schedule of Requirement given in "Annexure-1" of this e-NIT.					
2.	Notarized Original copy of Undertaking for acceptance of all Terms & Conditions on Non-Judicial Stamp Paper worth Rs. 500/- as per the format given as "Annexure-2".					
3.	Notarized Original copy of Affirmation on Non-Judicial Stamp Paper worth Rs. 500/- as per the format given as " <b>Annexure-3</b> ".					
4.	Notarized Original copy of Undertaking for Criminal Liability on Non-Judicial Stamp Paper worth Rs. 500/- as per the format given as "Annexure-4".					
5.	Bidder Signed & Legible copy of the Technical bid "Annexure-5"					
6.	Bidder Signed & Legible copy of the Financial bid "Annexure-6" submitted in separate envelope.					
7.	Signed and scanned copy of duly filled PSBG Form of AIIMS Vijaypur, Jammu, in the format given in "Annexure-7".					
8.	Notarized Original copy of Pre-Integrity Pact on Non-Judicial Stamp Paper worth ₹ 500/- as per format given as "Annexure-9".					
9.	Duly filled, signed and stamped PFMS Registration Form as given at "Annexure-10".					
10.	Duly filled, signed and stamped Declaration for Non-Blacklisting as per "Annexure- 12"					
11.	Signed & scanned copy of the Authorization Letter in the name of the Authorized Person allowed by the Proprietor / Owner to sign the documents on behalf of the owner/proprietor. Scanned copy of Declaration in case of manufacturer or Scanned & Attested copy of current contract/Authorization — between manufacturer and distributor /bidder as the case may be in the format given at "Annexure- 13". Declaration/authorization from the manufacturer should be submitted for every quoted item/equipment. Declaration/Authorization from the manufacturer should be submitted for every quoted item/equipment. However, if the bidder is quoting for more than one item/equipment of the same make, single authorization mentioning the name of items/equipments from the manufacturer is sufficient.					
12.	Copy of EMD receipt.					

13.	Copy of Udyam Registration Certificate (if seeking exemption)		
14.	Bidder Signed and scanned valid copy of Firm/Company Registration/Incorporation Certificate.		
15.	Bidder Signed and scanned copy of GST Registration and proof of latest quarter GST returns filed by the participating Bidder Company.	 	
16.	Bidder Signed and scanned copy of PAN Card in the name of firm/company.		
17.	Self-Certification on company letter head: Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 (Land Board Sharing)		
18.	Local Content Declaration under Preference to "MAKE IN INDIA" Policy.		
19.	Undertaking on company letter head regarding Fall Clause		
20.	Mandate Form duly filled from the concerned bank		
21.	Malicious Code Certificate (If applicable)		
22.	Technical Specification Compliance/ Deviation (If any) on Company letter head		
23.	Compliance undertaking on Company letter head regarding Comprehensive warranty and Post Warranty CAMC		
24.	Undertaking for After Sale Services providing the Escalation Matrix for handling query on Company letter head.		
25.	Bidder Signed and scanned copy of Income Tax return of the firm/company for the last three financial years (i.e. Financial Year- 2021-22, 2022-23 and 2023-24).		
26.	Legible scanned copies of the Balance Sheet and Profit & Loss account for any three years of the last five Financial Years duly certified by the Chartered Accountant/Company Secretary must be submitted.		
27.	The Average Annual Turnover of the Bidder company for participating in this tender must be at least <b>Rs. 5 Crore</b> for any three years of the last five Financial Years. Chartered Accountant(CA)/ Company Secretary Certified copy of Annual Turnover must be submitted for the same. The company should not have had incurred losses in those three years.		
28.	List of name of the Organizations and their contact details where similar gym items/equipments(refer <b>Annexure-1</b> ) have been previously supplied by bidder to any Institute of National Importance/Government Hospital/Institute/PSU's/Other reputed Institutions in India in the <b>Last Three Financial Years (FY 2021-22, 2022-23 and 2023-24)</b> must be submitted. In case of failure to submit the list of the above information with respect to the items mentioned in this e-NIT, for the requested F.Y.'s, the bid is liable to be rejected.		
29.	Signed and attested legible scanned copies of atleast three nos. of <b>Previous Purchase Order Copies</b> supplemented by <b>Buyer Acceptance/Receipt/Inspection Report</b> , for providing similar gym items/equipments(refer Annexure-1), which they have supplied to various reputed Institute of National Importance/Government Hospitals/Institutions/PSU's/Other reputed Hospitals/Institutions in India in the last Three Financial Years in Chronological Order from <b>F.Y. 2021-22, 2022-23 and 2023-24</b> , clearly showing the financial value of PO amount for Technical bid evaluation purpose.		
30.	The bidder must have successfully executed/completed at least one single contract of 80% of the Estimated Bid Value or 2 contracts each of 50% of the Estimated Bid Value or 3 contracts each of 40% of the Estimated Bid Value for similar services to		

			T T					
	any Central/State Govt Organization/PSU/Public Listed Company during the							
	immediate last three financial years ending 31st March 2024. Order copy with							
	experience/completion certificate issued by an officer, not below the rank of Executive							
	engineer must be submitted in support of the same.							
	Note: Similar works shall mean: "design, fabrication, supply, installation and							
	functioning of indoor gym & fitness equipment".							
31.	Bidder Signed and attested legible scanned copies of Satisfactory Performance							
010	Certificates regarding the Supply of similar gym items/equipments, which they have							
	been supplied/provided to various reputed Government							
	Hospitals/Institutions/PSU's/Other reputed Hospitals/Institutions in India in the last							
	Three Years to be submitted in Chronological Order from FY- 2021-22, 2022-23 and							
	2023-24.							
32.	In case of imported stores, the Bidder should submit a scanned and signed copy of the							
	authorization of agency agreement elaborating on the responsibility of foreign							
	supplies/principal and service to the Bidder by the Indian Agent giving details of							
	services available in India.							
33.	Bidder Signed and Scanned copies of valid ISO / BS EN 15020957 CE(European)							
	certifications from competent authority clearly showing validity date in respect of							
	quoted item.							
34.	Copies of Technical Literature/Catalogues for each item quoted, duly put code number							
	(if any) of items as per tender item list given in Schedule of Requirement (Annexure-							
	1) on each catalogue/literature document must be submitted alongwith the Technical							
	bid document so that buyer can match and verify the Data Sheet with the product							
	specifications.							
	Note: In case of any unexplained mismatch of technical parameters, or Non- Compliance Shall result in the rejection of the Bid.							
35.	Note:-  1. All above documents shall be duly signed and stamped by the bidder.							
	It must be submitted in the tender box placed at Procurement Section,							
	AIIMS, Vijaypur, and page numbered serially & legibly and placed							
	in a sequential manner. Absence of any aforementioned document will							
	invite rejection of bid, and no further communication in any form shall be							
	entertained, i.e., the above documents are mandatory for qualification to							
	the next stage of the bid.							
	2. Only those bidders who qualify in the Technical Bid Stage after							
	evaluation of the above-mentioned requisite qualification documents,							
	submitted in the Tender Box as per the S. no. 1 to 25 shall be considered							
	for Financial Evaluation.							

Name & Signature Seal of the participating Bidder Company with Date

[For office use only]	
Bid is Accepted/Rejected	•••••
Signature	With name & Date

Dated: 21st December 2024

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

#### **FINANCIAL BID**

(Submit duly self attested copy of Financial Bid in the Financial Bid envelope(separately) in the Tender Box)

S.No.	Item Name	Specifications (Refer Annexure-1 above for the same)	Estimated Qty./ UoM	Basic Price/Unit (in Indian Rupees)	GST%	GST Amt.	Price/Unit Including GST (E+G)	Total price as per estimated quantity (with GST)
A	В	С	D	E	F	G	Н	I
1.	Treadmill		02 nos.					
2.	Cross Trainer/Elliptical		02 nos.					
3.	Upright Bike	-	02 nos.					
4.	Rower		01 nos.					
5.	Recumbent Bike		01 nos.					
6.	CABLE CROSSOVER MULTIUSE UNIT		01 nos.					
7.	Chest press		01 nos.					
8.	Seated Leg curl	Refer Annexure-1	01 nos.					
9.	Leg extension	above for the	01 nos.					
10.	Pec fly Rear Deltoid	- same	01 nos.					
11.	Shoulder press		01 nos.					
12.	Leg Press		01 nos.					
13.	Smith machine	-	01 nos.					
14.	4 Way Olympic Bench	1	01 nos.					
15.	Utility Stool		02 nos.					
16.	Preacher Curl Bench		02 nos.					
17.	10 Pair Dumbbell Rack		02 nos.					
18.	Adjustable Bench	1	02 nos.					
19.	Abdominal Bench		01 nos.					
20.	Flat bench		01 nos.					
21.	Olympic rod set	-	01 nos.					

22.	Plate set		01 nos.												
23.	Dumbbell set		01 nos.												
23.	Dullibbell Set						OT HOS.								
24.	Rod Stand		01 nos.												
25.	Plate tree		01 nos.												
26.	Accessories Kit		01 nos.												
27.	Double Twister Machine		01 nos.												
20			0.1												
28.	Seated Calf		01 nos.												
29.	Functional Training and Flexibility Equipment		01 nos.												
30.	Steps		04 nos.												
31.	Mirrors		480 sq. ft.												
32.	Poster		320 sq. ft.												
33.	Towel Rack		01 nos.												
34.	First Aid Kit - Essential for any fitness facility		02 nos.												
35.	Accessories Storage Rack	Refer Annexure-1	01 nos.												
36.	Plybo Box Set	above for the same	01 nos.												
37.	Wrist Curl				01 nos.										
38.	Active Speakers with Wall Mountings									1					08 nos.
39.	Subwoofer with Case		04 nos.												
40.	6-Input Mixer with Bluetooth and USB		02 nos.												
41.	Capability Powered Amplifier at 8ohms, 500W mono		02 nos.												
42.	16A WG Speaker Cable		500 ft.												
43.	Wireless Lapel Microphone		01 nos.												
44.	43" Display with LAN Port & Wi-Fi Compatibility		03 nos.												
45.	Other charges (if any). Please specify clearly the same in Specification (Column C).														
		To	otal amou	nt	1										

# Quote for CMC charges for Gym

S. no.	<u>Description</u>	<u>Price</u>
		(inclusive of all taxes etc.)
1.	CAMC charges for 1 <sup>st</sup> year in % of cost of equipment: ( <b>Please</b> mention the Percentages Charged)	
2.	CAMC charges for 2 <sup>nd</sup> year in % of cost of equipment: ( <b>Please</b> mention the Percentages Charged)	
3.	CAMC charges for 3 <sup>rd</sup> year in % of cost of equipment: (Please mention the Percentages Charged)	
	Total	

Gross total amount(inclusive	f price for item/equipn	ent, manpower and CAMC):-	(in Indian Rupees).
------------------------------	-------------------------	---------------------------	---------------------

#### **Terms & Conditions:-**

- 1. The quantities mentioned above in this tender against each item are only indicative/tentative in nature.
- 2. The Bidder should quote rates for brand new items/equipments inclusive of all taxes & expenditures viz. Freight Charges, Packing Charges, Forwarding & Insurance Charges, Transportation & Octroi, GST, etc. up to F.O.R. to AIIMS, Vijaypur, Jammu basis. Quoted rates means that all such expenses have been taken into account by the Bidder and are included in the Quoted Offered Price.
- 3. Price quoted shall be inclusive of payment to Gym Trainer(01 Male and 01 Female) for the currency of contract period.
- 4. L1 will be selected on the basis to total rate/amount quoted by the bidders in the financial bid.
- 5. Please read and understand all terms and conditions of this tender before applying carefully.
- 6. Rate to be quoted by the bidder must be in Indian Rupees(in figures as well as words) only.
- 7. In case of discrepancy between per unit rate and total amount, the one having lower financial effect will be considered.
- 8. The bidder should quote per unit rate (Column F), taking into account all the expenses other than GST.

Name(s) &	Signature of A	authorized person of	the Bidder Compa	any with seal Na	ame of the Firm
Date	./				
Place					

Tender ID: AIIMS/JMU/Sports/2024/01 Dated: 21<sup>st</sup> December 2024

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

e-NIT for setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

#### PERFORMANCE SECURITY BANK GUARANTEE FORMAT

To, Executive Director & CEO All India Institute of Medical Sciences Vijaypur, Jammu-184120 (J&K)

WHEREAS	(Name and address	of the	supplier)	(Hereinaf	ter	called	"the
supplier") has undertaken, in pursuance of	contract no			_dated: _			_to
supply (Equipment/Stores and services) (he	rein after called "the	e contra	ict").				

AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee from nationalized bank for the sum specified therein as security for compliance with its obligations in accordance with the contract;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of. (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.

We further agree that no change or addition to or other of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid up to 15 (fifteen) months from the date of satisfactory installation of the Equipment/Stores in the User Department at AIIMS Vijaypur, Jammu i.e. up to ------ (indicate date).

(Signature with date of the authorized officer of the Bank)

Name and designation of the officer Seal, name & address of the Bank and address of the issuing Branch, including Telephone No. & Email ID

Dated: 21st December 2024 Tender ID: AlIMS/JMU/Sports/2024/01

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

#### PRE-CONTRACT INTEGRITY PACT

(Form for Integrity Pact on Non Judicial Stamp Paper worth of ₹ 500/- to be printed and submitted by the Interested Bidder Company along with their Pre- Qualification Documents and its scanned copy is needed to be submitted in the Pre- Qualification Document in the tender box)

General information regarding Pi	e-Bid Pre-Contract Agreement (i.e. Integrity Pact):
This pre-bid pre-contract Agreem	ent (here in after called the Integrity Pact) is made on day of the month of
20, between, on one hand, the E	xecutive Director & CEO, All India Institute Of Medical Sciences (AIIMS) Vijaypur,
Jammu, India (hereinafter called	the "BUYER", which expression shall mean and include, unless the context
otherwise requires, his successor	s in office and assigns) of the First Party
and	
M/s	
Represented by	
24/	
M/s	
"BIDDER" which expression shall	mean and include, unless the context otherwise requires, his successors and
permitted assigns) of the Second	Party.

WHEREAS the BUYER proposes to setup gym on turnkey basis at All India Institute of Medical Sciences Vijaypur, Jammu and the BIDDER is willing to offer / has offered the same and

WHEREAS the BIDDER is a Private Company/Public Company/Government Undertaking/PSU/Partnership Firm, constituted in accordance with the relevant law in the matter and the BUYER (i.e. AIIMS, Vijaypur, Jammu) is an Autonomous Institute under Ministry of Health & Family and Welfare, Government of India under the Pradhan Mantri Swasthya Suraksha Yojna (PMSSY) performing its functions in Healthcare.

#### NOW. THEREFORE.

To avoid all forms of corruptions by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to :-

Enabling the BUYER to finalize a Bidder Company for supply of requested Items at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and

Enabling BIDDER to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the BUYER will commit to prevent corruption, in any form, by its officials by transparent procedures.

Dated: 21st December 2024

<u>ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120</u> e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120

# **VENDOR PFMS REGISTRATION FORM**

(The code will issued by AIIMS, Vijaypur, Jammu Finance Deptt, if Supply Order to be issued to your Firm)

S. No.	Head Name	Details
1.	Vendor Name	
2.	Father/Husband/Owner Name	
3.	Date of Birth	
4.	PAN Number (a copy of PAN Card in the name of Firm must enclose)	
5.	Aadhaar Number	
6.	TAN Number	
7.	GST	
8.	Service Tax No.	
9.	Address 1	
10.	Address 2	
11.	Address 3	
12.	City	
13.	Country	
14.	State	
15.	District	
16.	Pin Code	
17.	Mobile No.	
18.	Phone No.	
19.	Email ID	
20.	Bank Name	
21.	IFSC Code	
22.	Account Number (a cancelled Cheque copy must enclose)	

Tender ID: AlIMS/JMU/Sports/2024/01 Dated: 21<sup>st</sup> December 2024

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

# GOVERNMENT OF INDIA AND GOVERNMENT

# Form GST REG-06

# **Certificate of Provisional Registration**

1.	GSTIN	01AAAGA2469J1ZS
2.	PAN	AAAGA2469J
3.	Legal Name	ALL INDIA INSTITUTE OF MEDICAL SCIENCES VIJAYPUR
4.	Trade Name	ALL INDIA INSTITUTE OF MEDICAL SCIENCES VIJAYPUR
5.	Registration details under existing law Act	Registration Number
(a)	Service Tax Registration Number	
Date		

This is a Certificate of Provisional Registration issued under the provisions of the Act

Tender ID: AlIMS/JMU/Sports/2024/01 Dated: 21<sup>st</sup> December 2024

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

# **DECLARATION FOR NON-BLACKLISTING**

I/we
(Insert name and address of the Vendor)
Solemnly declare that I/we will/shall abide by any penal action such as disqualification or blacklisting or
determination of contract or any other action deemed fit, taken by, the Department against me/us, if it found that
the statements, documents, certificates produced by me/us are false/fabricated.
I/we hereby declare that I/we have not been blacklisting/debarred/suspended in any
Government Department in any state due to any reason.
(Insert name and address of the Vendor with stamp and date)
Signature of authorized Personnel
Name :
Designation:
Firm/Company:

Dated: 21st December 2024

Tender ID: AIIMS/JMU/Sports/2024/01

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCES, VIJAYPUR, JAMMU-184120

e-NIT for Setting up of Gym on a turnkey basis at AIIMS, Vijaypur, Jammu-184120 (J & K)

# **MANUFACTURER AUTHORIZATION FORM**

To, The Executive Director & CEO AIIMS, Vijaypur, Jammu-184120 (J & K) INDIA
Dear Sir,
Ref. Your E-Tender document No, dated://
Wedated
M/s _(name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred E-Tender t e n d e r wh i c h a r e manufactured by us.
2) We further confirm that no supplier or firm or individual other than Messrs. ( <i>name and address of the above agent</i> ) is authorized to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred Tender Enquiry documents for the above Equipment/Stores manufactured by us.
3) We also hereby confirm that we would be responsible for the satisfactory execution of contract placed on the authorized agent including availability of Spares parts for the period of 10 years for supplied equipment to AIIMS, Vijaypur, jammu.
4) We also confirm that the rate quoted by our authorized agent shall not exceed the rate which we would have quoted on direct participation. Yours faithfully,
[Signature with date, name and designation] for and on behalf of M/s [Name & address of the manufacturers]
Note:-

- 1. This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- 2. Original letter's scanned copy may be uploaded and handed over as and when directed.
- 3. We also undertake to provide all updates (at our own) of the equipment's free of cost during the warranty /guarantee period along with spare